

GAP

Release 4.4.5
13 May 2005

Index

The GAP Group

<http://www.gap-system.org>

Full Index

This index covers the five main books of the GAP manual, pages are given with respect to each manual: **Ref**, **Tut**, **Prg**, **New**, and **Ext**. A page number in *italics* refers to a whole section which is devoted to the indexed subject. Keywords are sorted with case and spaces ignored, e.g., “PermutationCharacter” comes before “permutation group”.

(Near-)Additive Magma Categories, *R 550*
(Near-)Additive Magma Generation, *R 551*
+, *R 48*
-, *R 48*
-A, *R 29*
-B, *R 30*
-C, *R 30*
-D, *R 30*
-K, *R 28*
-L, *R 29*
-M, *R 30*
-N, *R 30*
-O, *R 30*
-P, *R 30*
 on Macintosh, *R 31*
-R, *R 29*
-T, *R 30*
-U, *R 30*
-W, *R 30*
 on Macintosh, *R 31*
-X, *R 30*
-Y, *R 30*
-a, *R 29*
 on Macintosh, *R 31*
-b, *R 27*
-e, *R 27*
 on Macintosh, *R 31*
-f, *R 27*
 on Macintosh, *R 31*
-g, *R 28*
-g -g, *R 28*
-h, *R 27*
-i, *R 30*
-l, *R 28*
-m, *R 28*
-n, *R 27*
 on Macintosh, *R 31*
-o, *R 28*
 on Macintosh, *R 31*
-q, *R 27*
-r, *R 29*
-x, *R 27*
-y, *R 28*
-z, *R 30*
 on Macintosh, *R 31*
., *E 16*
.gaprc, *R 33*
/, *R 48*
 for character tables, *R 723*
%, *E 24*
%display, *E 24*
%enddisplay, *E 24*

- `\OneColumnTableOfContents`, E 12
 - `\Package`, E 11
 - `\PseudoInput`, E 13
 - `\Q`, E 20
 - `\R`, E 20
 - `\Section`, E 14
 - `\TableOfContents`, E 11
 - `\TitlePage`, E 12
 - `\Today`, E 13
 - `\URL`, E 16
 - `\UseGapDocReferences`, E 12
 - `\UseReferences`, E 11
 - `\XYZ`, R 247
 - `\Year`, E 13
 - `\Z`, E 20
 - `\`, R 247
 - `\`, R 247
 - `\accent127`, E 16
 - `\atindex`, E 16
 - `\b`, R 247
 - `\beginexample`, E 22
 - indicating unstable output, E 22
 - `\beginitems`, E 20
 - `\beginlist`, E 20
 - `\begintt`, E 22
 - `\c`, R 247
 - `\calR`, E 20
 - `\endexample`, E 22
 - `\enditems`, E 20
 - `\endlist`, E 20
 - `\endt`, E 22
 - `\fmark`, E 16
 - `\in`, operation for testing membership, R 271
 - `\index`, E 16
 - `\indextt`, E 16
 - `\item`, E 20
 - `\itemitem`, E 20
 - `\kernttindent`, E 16
 - `\lq`, E 16
 - `\matrix`, E 23
 - `\n`, R 247
 - `\nolabel`, use in index and label suppression, E 15
 - `\null`, use in index suppression, E 15
 - `\package`, E 16
 - `\pif`, E 16
 - `\r`, R 247
 - `\rq`, E 16
 - `ˆ`, R 48
 - for class functions, R 761
 - 1-Cohomology, R 374
 - 2-Cohomology and Extensions, R 452
- ## A
- A, Attribute mark-up, E 16
 - AbelianGroup, R 504
 - AbelianInvariants, for character tables, R 726
 - for groups, R 363
 - Abelian Invariants for Subgroups, R 472
 - AbelianInvariantsMultiplier, R 377
 - AbelianInvariantsNormalClosureFpGroup, R 472
 - AbelianInvariantsNormalClosureFpGroupRrs, R 472
 - AbelianInvariantsOfList, R 239
 - AbelianInvariantsSubgroupFpGroup, R 472
 - AbelianInvariantsSubgroupFpGroupMtc, R 472
 - AbelianInvariantsSubgroupFpGroupRrs, R 472
 - AbelianNumberField, R 582
 - abelian number field, R 583
 - abelian number fields, canonicalbasis, R 585
 - abelian number fields, Galois group, R 586
 - AbelianSubfactorAction, R 399
 - About Functions, T 24
 - About Group Actions, R 391
 - AbsInt, R 127
 - AbsoluteIrreducibleModules, R 742
 - AbsoluteValue, R 157
 - absolute value of an integer, R 127
 - AbsolutIrreducibleModules, R 742
 - abstract word, R 321
 - AbstractWordTietzeWord, R 481
 - accessing, list elements, R 172
 - record elements, R 257
 - Accessing a Module, R 687
 - Accessing Record Elements, R 257
 - Accessing Subgroups via Tables of Marks, R 708
 - Accessing Weak Pointer Objects as Lists, E 52
 - Acknowledgements, T 12
 - AClosestVectorCombinationsMatFFVecFFE, R 215
 - AClosestVectorCombinationsMatFFVec-FFECords, R 215
 - ActingAlgebra, R 625
 - ActingDomain, R 403
 - Acting OnRight and OnLeft, R 428
 - Action, R 398
 - action, by conjugation, R 392

- on blocks, R 392
- on sets, R 392
- ActionHomomorphism, R 397
- Action of a group on itself, *R 399*
- Action on Subfactors Defined by a Pcgs, *R 443*
- actions, R 392
- Actions of Groups, *T 47*
- Actions of Matrix Groups, *R 425*
- ActorOfExternalSet, R 405
- Add, R 175
- add, an element to a set, R 193
- AddCoeffs, R 213
- AddGenerator, R 483
- AddGenerators, R 340
- AddGeneratorsExtendSchreierTree, R 420
- AddHashEntry, N 10
- Adding a new Attribute, *P 37*
- Adding a new Operation, *P 36*
- Adding a new Representation, *P 37*
- Adding new Concepts, *P 39*
- addition, R 48
 - list and non-list, R 183
 - matrices, R 219
 - matrix and scalar, R 219
 - operation, R 292
 - rational functions, R 661
 - scalar and matrix, R 219
 - scalar and matrix list, R 220
 - scalar and vector, R 211
 - vector and scalar, R 211
 - vectors, R 210
- Addition of a Method, *P 34*
- Additive Arithmetic for Lists, *R 182*
- AdditiveInverse, R 290
- AdditiveInverseAttr, R 290
- AdditiveInverseImmutable, R 290
- AdditiveInverseMutable, R 290
- AdditiveInverseOp, R 290
- AdditiveInverseSameMutability, R 290
- AdditiveInverseSM, R 290
- AdditiveNeutralElement, R 552
- AddRelator, R 483
- AddRowVector, R 213
- AddRule, R 340
- AddRuleReduced, R 340
- AddSet, R 193
- AdjointAssociativeAlgebra, R 642
- AdjointBasis, R 614
- AdjointMatrix, R 642
- AdjointModule, R 626
- Advanced Features of GAP, *R 29*
- Advanced List Manipulations, *R 201*
- Advanced Methods for Dixon-Schneider Calculations, *R 743*
- AffineAction, R 444
- AffineActionLayer, R 444
- AffineOperation, R 444
- AffineOperationLayer, R 444
- A First Attempt to Implement Elements of Residue Class Rings, *P 44*
- Agemo, R 360
- AgGroup, T 78
- Algebra, R 605
- AlgebraByStructureConstants, R 608
- AlgebraGeneralMappingByImages, R 619
- AlgebraHomomorphismByImages, R 619
- AlgebraHomomorphismByImagesNC, R 619
- AlgebraicExtension, R 682
- Algebraic Structure, *T 68*
- Algebras, *T 61*
- AlgebraWithOne, R 605
- AlgebraWithOneGeneralMappingByImages, R 619
- AlgebraWithOneHomomorphismByImages, R 620
- AlgebraWithOneHomomorphismByImagesNC, R 620
- AllBlocks, R 402
- AllIrreducibleSolvableGroups, R 522
- AllLibraryGroups, R 510
- AllPrimitiveGroups, R 510
- AllSmallGroups, R 513
- AllTransitiveGroups, R 510
- Alpha, R 812
- AlternatingGroup, R 504
- and, R 168
 - for filters, R 169
- An Example of Advanced Dixon-Schneider Calculations, *R 744*
- An Example of a GAP Package, *E 36*
- ANFAutomorphism, R 587
- AntiSymmetricParts, R 778
- antisymmetric relation, R 311
- Append, R 175
- AppendTo, R 95
 - for streams, R 101
- Apple, R 829
- ApplicableMethod, R 77, T 75
- ApplicableMethod, *R 77*

- Applicable Methods and Method Selection, *P 12*
- ApplicableMethodTypes, R 77
- Apply, R 196
- ApplyFunc, T 78
- ApplySimpleReflection, R 639
- ApproximateSuborbitsStabilizerPermGroup, R 419
- ARCH_IS_MAC, R 34
- ARCH_IS_UNIX, R 34
- ARCH_IS_WINDOWS, R 34
- arg, special function argument, R 56
- ArithmeticElementCreator, P 41
- Arithmetic for External Representations of Polynomials, *R 680*
- Arithmetic for Lists, *R 180*
- Arithmetic Issues in the Implementation of New Kinds of Lists, *P 27*
- Arithmetic Operations for Class Functions, *R 759*
- Arithmetic Operations for Elements, *R 292*
- Arithmetic Operations for General Mappings, *R 304*
- Arithmetic Operators, *R 48*
- Arrangements, R 147
- arrow notation for functions, R 57
- AsAlgebra, R 614
- AsAlgebraWithOne, R 615
- AsBinaryRelationOnPoints, R 312
- AsBlockMatrix, R 234
- AscendingChain, R 366
- AsDivisionRing, R 571
- AsDuplicateFreeList, R 195
- A Second Attempt to Implement Elements of Residue Class Rings, *P 45*
- AsField, R 571
- AsFreeLeftModule, R 568
- AsGroup, R 345
- AsGroupGeneralMappingByImages, R 380
- AsLeftIdeal, R 558
- AsLeftModule, R 566
- AsList, R 267
- AsMagma, R 316
- AsMonoid, R 538
- AsPolynomial, R 663
- AsRightIdeal, R 558
- AsRing, R 555
- AsSemigroup, R 531
- Assert, R 80
- AssertionLevel, R 80
- Assertions, *R 80*
- AsSet, R 267
- AssignGeneratorVariables, R 328
- assignment, T 22
 - to a list, R 173
 - to a record, R 258
 - variable, R 49
- Assignments, *R 49*
- AssignNiceMonomorphismAutomorphismGroup, R 387
- AssociatedPartition, R 152
- AssociatedReesMatrixSemigroupOfDClass, R 537
- Associates, R 561
- associativity, R 48
- AssocWordByLetterRep, R 333
- AsSomething, T 70
- AsSortedList, R 267
- AsSSortedList, R 267
- AsStruct, R 284
- AsSubalgebra, R 615
- AsSubalgebraWithOne, R 615
- AsSubgroup, R 346
- AsSubgroupOfWholeGroupByQuotient, R 470
- AsSubmagma, R 316
- AsSubmonoid, R 538
- AsSubsemigroup, R 531
- AsSubspace, R 590
- AsSubstruct, R 287
- AsTransformation, R 548
- AsTransformationNC, R 548
- AsTwoSidedIdeal, R 558
- AsVectorSpace, R 589
- at exit functions, R 72
- ATLAS Irrationalities, *R 159*
- AtlasIrrationality, R 161
- atomic irrationalities, R 159
- Attributes, *R 121, T 72*
- Attributes and Operations for Algebras, *R 613*
- Attributes and Properties for (Near-)Additive Magmas, *R 552*
- Attributes and Properties for Collections, *R 268*
- Attributes and Properties for Magmas, *R 318*
- Attributes and Properties for Matrix Groups, *R 424*
- Attributes and Properties of Character Tables, *R 724*
- Attributes and Properties of Elements, *R 288*
- Attributes of and Operations on Equivalence Relations, *R 313*
- Attributes of Tables of Marks, *R 698*

- Attributes vs. Record Components, *T 80*
- AttributeValueNotSet, R 122
- AugmentationIdeal, R 654
- AugmentedCosetTableInWholeGroup, R 465
- AugmentedCosetTableMtc, R 465
- AugmentedCosetTableRrs, R 465
- Augmented Coset Tables and Rewriting, *R 465*
- Authorship and Maintenance, *T 11*
- automatic loading of gap packages, R 834
- AutomorphismDomain, R 386
- AutomorphismGroup, R 386
 - for groups with pcgs, R 445
- automorphism group, of number fields, R 586
- Automorphisms and Equivalence of Character Tables, *R 751*
- AutomorphismsOfTable, R 727
- B**
- b_N , R 159
- backslash character, R 247
- backspace character, R 247
- Backtrace, T 85
 - GAP3 name for Where, R 70
- Backtrack, *R 421*
- BANNER, R 839
- BaseFixedSpace, R 226
- BaseIntersectionIntMats, R 236
- BaseIntMat, R 236
- BaseMat, R 228
- BaseMatDestructive, R 228
- BaseOfGroup, N 20, R 418
- BaseOrthogonalSpaceMat, R 229
- BasePointOfSchreierTransversal, N 16
- Bases of Vector Spaces, *R 591*
- BaseStabChain, R 418
- BaseSteinitzVectors, R 229
- Basic Actions, *R 392*
- Basic Groups, *R 503*
- Basic Operations for Class Functions, *R 758*
- Basic Operations for Lists, *R 171*
- BasicWreathProductOrdering, R 280
- Basis, R 592
- BasisNC, R 592
- BasisVectors, R 593
- Bell, R 145
- Bernoulli, R 146
- BestQuoInt, R 129
- BestSplittingMatrix, R 744
- BiAlgebraModule, R 623
- BiAlgebraModuleByGenerators, R 623
- bibtex, E 26
- BilinearFormMat, R 637
- binary relation, R 310
- BinaryRelationByElements, R 310
- BinaryRelationOnPoints, R 311
- BinaryRelationOnPointsNC, R 311
- Binary Relations on Points, *R 311*
- BinaryRelationTransformation, R 549
- BindGlobal, P 31, R 45
- Binomial, R 145
- blank, R 40
- BlistList, R 206
- Block Matrices, *R 234*
- BlockMatrix, R 234
- Blocks, R 402
- BlocksInfo, R 732
- Block Systems, *R 402*
- BlownUpMat, R 231
- BlownUpVector, R 231
- BlowUpIsomorphism, R 425
- BNF, R 58
- body, R 55
- BombieriNorm, R 669
- Boolean Lists Representing Subsets, *R 206*
- bound, R 42
- Brauer character, R 765
- BrauerCharacterValue, R 788
- BrauerTable, R 718
- BrauerTableOp, R 718
- BravaisGroup, R 428
- BravaisSubgroups, R 428
- BravaisSupergroups, R 428
- Break, *R 54*
- break loop message, R 69
- Break Loops, *R 67*
- break loops, T 20
- break statement, R 54
- browsing backwards, R 22
- browsing backwards one chapter, R 22
- browsing forward, R 22
- browsing forward one chapter, R 22
- browsing the next section browsed, R 22
- browsing the previous section browsed, R 22
- Browsing through the Sections, *R 22*
- bug reports, see If Things Go Wrong, R 826
- Building new orderings, *R 276*

buildman.pe, E 27

C

C, Category mark-up, E 16

c_N , R 159

Calculating with Group Automorphisms, R 387

Calendar Arithmetic, R 254

CallFuncList, R 62

Calling a function with a list argument that is interpreted as several arguments, R 62

Calling of and Communication with External Binaries, E 39

Cancellation Tests for Rational Functions, R 680

CanComputeIndex, R 378

CanComputeIsSubset, R 378

CanComputeSize, R 377

CanComputeSizeAnySubgroup, R 378

candidates, for permutation characters, R 781

CanEasilyCompareElements, R 291

CanEasilyCompareElementsFamily, R 291

CanEasilyComputePcgs, R 431

CanEasilySortElements, R 291

CanEasilySortElementsFamily, R 291

CanEasilyTestMembership, R 377

CanonicalBasis, R 592

canonical basis, for matrix spaces, R 599
for row spaces, R 599

CanonicalElt, N 14

CanonicalGenerators, R 637

CanonicalPcElement, R 433

CanonicalPcgs, R 436

CanonicalPcgsByGeneratorsWithImages, R 438

CanonicalRepresentativeDeterminatorOf-
ExternalSet, R 405

CanonicalRepresentativeOfExternalSet, R 404

CanonicalRightCosetElement, R 352

Carmichael's lambda function, R 136

carriage return character, R 247

CartanMatrix, R 637

CartanSubalgebra, R 634

Cartesian, R 197

Categories, R 118

Categories and Properties of Algebras, R 612

Categories for Streams and the StreamsFamily, R 97

Categories of Associative Words, R 326

Categories of Matrices, R 218

CategoriesOfObject, R 120

Categories of Words and Nonassociative Words,
R 321

CategoryCollections, P 16, R 263

CategoryFamily, P 16

Catering for Plain Text and HTML Formats, E 24

Center, R 319

center, R 318

CentralCharacter, R 768

central character, R 768

CentralIdempotentsOfAlgebra, R 617

centraliser, R 318

Centralizer, R 318

for groups with pcgs, R 445

CentralizerInGLnZ, R 428

CentralizerModulo, R 367

CentralizerSizeLimitConsiderFunction, R 446

CentralNormalSeriesByPcgs, R 439

Centre, R 319

for groups with pcgs, R 445

centre, of a character, R 767

CentreOfCharacter, R 767

CF, R 582

ChainHomomorphicImage, N 20

ChainStatistics, N 20

ChainSubgroup, N 19

ChainSubgroupByDirectProduct, N 21

ChainSubgroupByHomomorphism, N 20

ChainSubgroupByProjectionFunction, N 20

ChainSubgroupByPSubgroupOfAbelian, N 21

ChainSubgroupBySiftFunction, N 21

ChainSubgroupByStabiliser, N 20

ChainSubgroupByTrivialSubgroup, N 21

ChainSubgroupQuotient, N 21

ChangedBaseGroup, N 20

Changed Command Line Options, T 77

Changed Functionality, T 77

Changed Variable Names, T 78

Changes from Earlier Versions, T 13

ChangeStabChain, R 420

Changing Presentations, R 482

Changing the Help Viewer, R 23

Changing the Representation, R 285

Changing the Structure, R 284, T 70

Chapters and Sections, E 14

CHAR_INT, R 252

CHAR_SINT, R 253

Character, R 763

Character Conversion, R 252

- CharacterDegrees, R 724
- Character Degrees and Derived Length, *R 812*
- Characteristic, R 288
- characteristic, for class functions, R 762
- CharacteristicPolynomial, R 230
- characteristic polynomial, for field elements, R 573
- CharacterNames, R 728
- characters, R 756
 - permutation, R 783
 - symmetrizations of, R 777
- CharacterTable, R 718
- Character Table Categories, *R 719*
- CharacterTableDirectProduct, R 746
- CharacterTableFactorGroup, R 747
- CharacterTableIsoclinic, R 748
- character tables, R 717
 - access to, R 717
 - calculate, R 717
 - infix operators, R 723
 - of groups, R 717
- CharacterTableWithSortedCharacters, R 749
- CharacterTableWithSortedClasses, R 749
- CharacterTableWreathSymmetric, R 748
- character value, of group element using powering operator, R 761
- CharsFamily, R 248
- CharTable, T 78
- CheckFixedPoints, R 802
- CheckForHandlingByNiceBasis, R 604
- CheckPermChar, R 809
- ChevalleyBasis, R 636
- ChiefNormalSeriesByPcgs, R 440
- ChiefSeries, R 364
- ChiefSeriesThrough, R 364
- ChiefSeriesUnderAction, R 364
- ChineseRem, R 130
- Chinese remainder, R 130
- Chomp, R 252
- CIUnivPols, R 661
- ClassElementLattice, R 369
- classes, real, R 729
- ClassesSolvableGroup, R 445
- ClassFunction, R 763
- class function, R 756
- class function objects, R 756
- class functions, R 799
 - as ring elements, R 760
- ClassFunctionSameType, R 764
- Class Fusions between Character Tables, *R 794*
- Classical Groups, *R 505*
- ClassMultiplicationCoefficient, for character tables, R 736
- class multiplication coefficient, R 736
- ClassNames, R 728
- ClassNamesTom, R 700
- ClassOrbit, R 729
- ClassPermutation, R 750
- ClassPositionsOfAgemo, R 730
- ClassPositionsOfCentre, for characters, R 767
 - for character tables, R 730
- ClassPositionsOfDerivedSubgroup, R 730
- ClassPositionsOfDirectProduct-
Decompositions, R 730
- ClassPositionsOfElementaryAbelianSeries,
R 730
- ClassPositionsOfFittingSubgroup, R 730
- ClassPositionsOfKernel, R 767
- ClassPositionsOfLowerCentralSeries, R 730
- ClassPositionsOfMaximalNormalSubgroups,
R 730
- ClassPositionsOfNormalClosure, R 730
- ClassPositionsOfNormalSubgroup, R 754
- ClassPositionsOfNormalSubgroups, R 730
- ClassPositionsOfSupersolvableResiduum, R 730
- ClassPositionsOfUpperCentralSeries, R 730
- ClassRoots, R 729
- ClassStructureCharTable, R 736
- ClassTypesTom, R 699
- CleanedTailPcElement, R 433
- ClearCacheStats, R 83
- ClearProfile, R 82
- clone, an object, R 114
- CloseMutableBasis, R 597
- CloseStream, R 98
- ClosureGroup, R 347
- ClosureGroupAddElm, R 348
- ClosureGroupCompare, R 348
- ClosureGroupDefault, R 348
- ClosureGroupIntest, R 348
- ClosureLeftModule, R 567
- ClosureNearAdditiveGroup, R 552
- Closure Operations and Other Constructors, *R 312*
- ClosureRing, R 555
- Closures of (Sub)groups, *R 347*
- ClosureSomething, T 70
- ClosureStruct, R 284

- ClosureSubgroup, R 348
- ClosureSubgroupNC, R 348
- Coboundaries, R 647
- Cochain, R 646
- CochainSpace, R 646
- Cocycles, R 647
- cocycles, R 374
- CodePcGroup, R 456
- CodePcgs, R 455
- Coding a Pc Presentation, *R 455*
- coefficient, binomial, R 145
- Coefficient List Arithmetic, *R 213*
- Coefficients, R 593
- coefficients, for cyclotomics, R 157
- CoefficientsAndMagmaElements, R 655
- CoefficientsFamily, R 677
- CoefficientsMultiadic, R 130
- CoefficientsOfLaurentPolynomial, R 669
- CoefficientsOfUnivariatePolynomial, R 663
- CoefficientsOfUnivariateRationalFunction, R 663
- CoefficientsQadic, R 130
- CoefficientsRing, R 670
- CoeffsCyc, R 157
- CoeffsMod, R 214
- cohomology, R 374
- COHORTS_PRIMITIVE_GROUPS, R 520
- cokernel, T 55
- CoKernelOfAdditiveGeneralMapping, R 307
- CoKernelOfMultiplicativeGeneralMapping, R 306
- CollapsedMat, R 805
- Collected, R 195
- Collection Families, *R 263*
- CollectionsFamily, P 19, R 263
- Coloring the Prompt and Input, *R 37*
- ColorPrompt, R 38
- ColumnIndexOfReesMatrixSemigroupElement, R 537
- ColumnIndexOfReesZeroMatrixSemigroupElement, R 537
- Combinations, R 147
- Combinations, Arrangements and Tuples, *R 147*
- CombinatorialCollector, R 450
- Combinatorial Numbers, *R 145*
- Comm, R 292
 - for words, R 329
- Command Line Options, *R 27*
- command mark-up, E 16
- comments, R 40, T 19
- CommutativeDiagram, R 802
- CommutatorFactorGroup, R 367
- CommutatorLength, R 357
 - for character tables, R 726
- CommutatorSubgroup, R 357
- Compacted, R 195
- CompanionMat, R 231
- CompareVersionNumbers, R 837
- comparison, fp semigroup elements, R 543
 - operation, R 291
 - rational functions, R 661
- Comparison of Associative Words, *R 329*
- Comparison of Class Functions, *R 759*
- Comparison of Elements of Finitely Presented Groups, *R 458*
- Comparison of Elements of Finitely Presented Semigroups, *R 543*
- Comparison of Permutations, *R 407*
- Comparison of Rational Functions, *R 661*
- Comparison of Words, *R 322*
- Comparison Operations for Elements, *R 291*
- Comparisons, *R 47*
- comparisons, of booleans, R 167
 - of lists, R 179
- Comparisons of Booleans, *R 167*
- Comparisons of Cyclotomics, *R 159*
- Comparisons of Lists, *R 179*
- Comparisons of Records, *R 260*
- Comparisons of Strings, *R 249*
- Compatibility Mode, *T 86*
- Compatibility of Residue Class Rings with Prime Fields, *P 55*
- CompatibleConjugacyClasses, R 722
- CompatiblePairs, R 454
- Compilation, *R 821*
- Compiling Library Code, *R 35*
- Complementclasses, R 357
- ComplementclassesEA, R 376
- ComplementIntMat, R 237
- ComplementSystem, R 360
- CompleteSchreierTransversal, N 17
- Completion Files, *R 33*
- ComplexConjugate, R 162
 - for class functions, R 762
- ComplexificationQuat, R 609
- Component Objects, *P 20*

- Components of a Dixon Record, *R 744*
- Components versus Attributes, *P 39*
- CompositionMapping, *R 300*
 - for Frobenius automorphisms, *R 580*
- CompositionMapping2, *R 300*
- CompositionMaps, *R 799*
- CompositionOfStraightLinePrograms, *R 337*
- CompositionSeries, *R 364*
 - for groups with pcgs, *R 445*
- ComputedBrauerTables, *R 718*
- ComputedClassFusions, *R 795*
- ComputedIndicators, *R 735*
- ComputedIsPSolvableCharacterTables, *R 735*
- ComputedPowerMaps, *R 791*
- ComputedPrimeBlockss, *R 731*
- Computing a Pcgs, *R 430*
- Computing a Permutation Representation, *R 410*
- Computing Pc Groups, *R 451*
- Computing Possible Permutation Characters, *R 783*
- Computing the Irreducible Characters of a Group, *R 740*
- Concatenation, *R 195*
- concatenation, of lists, *R 195*
- Conductor, *R 157*
- ConfluentRws, *R 340*
- Congruences, for character tables, *R 807*
- Congruences for semigroups, *R 533*
- ConjugacyClass, *R 354*
- Conjugacy Classes, *R 354*
- ConjugacyClasses, attribute, *R 354*
 - for character tables, *R 721*
 - for groups with pcgs, *R 445*
 - for linear groups, *R 508*
- ConjugacyClassesByOrbits, *R 355*
- ConjugacyClassesByRandomSearch, *R 355*
- Conjugacy Classes in Classical Groups, *R 508*
- Conjugacy Classes in Solvable Groups, *R 445*
- ConjugacyClassesMaximalSubgroups, *R 368*
- ConjugacyClassesPerfectSubgroups, *R 371*
- ConjugacyClassesSubgroups, *R 368*
- ConjugacyClassSubgroups, *R 367*
- conjugate, matrix, *R 220*
 - of a word, *R 329*
- ConjugateDominantWeight, *R 639*
- ConjugateDominantWeightWithWord, *R 639*
- ConjugateGroup, *R 345*
- Conjugates, *R 574*
- ConjugateSubgroup, *R 347*
- ConjugateSubgroups, *R 347*
- conjugation, *R 392*
- ConjugatorAutomorphism, *R 384*
- ConjugatorAutomorphismNC, *R 384*
- ConjugatorIsomorphism, *R 384*
- ConjugatorOfConjugatorIsomorphism, *R 385*
- ConnectGroupAndCharacterTable, *R 722*
- ConsiderKernels, *R 807*
- ConsiderSmallerPowerMaps, *R 808*
- ConsiderStructureConstants, *R 799*
- ConsiderTableAutomorphisms, *R 810*
- constants, *T 20*
- ConstantTimeAccessList, *R 191*
- constituent, of a group character, *R 766*
- ConstituentsCompositionMapping, *R 300*
- ConstituentsOfCharacter, *R 767*
- Constructing Algebras as Free Algebras, *R 606*
- Constructing Algebras by Generators, *R 605*
- Constructing Algebras by Structure Constants, *R 607*
- Constructing Character Tables from Others, *R 746*
- Constructing Domains, *R 283*
- Constructing Lie algebras, *R 631*
- Constructing Pc Groups, *R 449*
- Constructing Subdomains, *R 287*
- Constructing Tables of Marks, *R 694*
- Constructing Vector Spaces, *R 589*
- Construction of Abelian Number Fields, *R 582*
- Construction of Stabilizer Chains, *R 415*
- Constructors for Basic Groups, *R 509*
- ContainedCharacters, *R 806*
- ContainedDecomposables, *R 806*
- ContainedMaps, *R 801*
- ContainedPossibleCharacters, *R 804*
- ContainedPossibleVirtualCharacters, *R 804*
- ContainedSpecialVectors, *R 805*
- ContainedTom, *R 704*
- ContainingTom, *R 704*
- continuation, *E 24*
- ContinuedFractionApproximationOfRoot, *R 141*
- ContinuedFractionExpansionOfRoot, *R 141*
- Continued Fractions, *R 141*
- continue statement, *R 55*
- Conventions for Character Tables, *R 721*
- convert, to a string, *R 248*
- Converting Groups to Finitely Presented Groups, *R 466*
- ConvertToCharacterTable, *R 719*

- ConvertToCharacterTableNC, R 719
 - ConvertToMatrixRep, R 232
 - ConvertToMatrixRepNC, R 232
 - ConvertToRangeRep, R 204
 - ConvertToStringRep, R 248
 - ConvertToTableOfMarks, R 698
 - ConvertToVectorRep, R 212
 - ConvertToVectorRepNC, R 212
 - ConwayPolynomial, R 580
 - Conway Polynomials, R 580
 - coprime, R 48
 - Copy, T 80
 - copy, R 114
 - an object, R 114
 - Copying Weak Pointer Objects, E 53
 - CopyOptionsDefaults, R 420
 - Copyrights, R 833
 - CopyStabChain, R 419
 - Core, R 356
 - CorrespondingGeneratorsByModuloPcgs, R 438
 - coset, R 351
 - CosetLeadersMatFFE, R 215
 - Cosets, R 351
 - CosetTable, R 461
 - CosetTableBySubgroup, R 462
 - CosetTableDefaultLimit, R 463
 - CosetTableDefaultMaxLimit, R 462
 - CosetTableFromGensAndRels, R 462
 - CosetTableInWholeGroup, R 465
 - CosetTableOfFpSemigroup, R 546
 - Coset Tables and Coset Enumeration, R 461
 - Coset tables for subgroups in the whole group, R 465
 - CosetTableStandard, R 464
 - CRC, R 36
 - CrcFile, R 95
 - example, R 36
 - CRC Numbers, R 36
 - CreateCompletionFiles, R 34
 - CreateCompletionFilesPackage, E 40
 - CreateCompletionFilesPkg, R 838
 - Creating Attributes and Properties, P 17
 - Creating Categories, P 16
 - Creating Character Tables, R 717
 - Creating Class Functions from Values Lists, R 763
 - Creating Class Functions using Groups, R 764
 - Creating Families, P 18
 - Creating Finite Fields, R 578
 - Creating Finitely Presented Groups, R 458
 - Creating Finitely Presented Semigroups, R 542
 - Creating Group Homomorphisms, R 379
 - Creating Groups, R 344
 - Creating hom cosets and quotient groups, N 14
 - Creating Mappings, R 299
 - Creating Objects, P 20
 - Creating Operations, P 18
 - Creating Other Filters, P 18
 - Creating Own Arithmetic Objects, P 41
 - Creating Permutations, R 408
 - Creating Presentations, R 475
 - Creating Representations, P 16
 - Creating Types, P 20
 - Creation of Algebraic Extensions, R 682
 - Creation of Rational Functions, R 679
 - Credit, R 21
 - CrystGroupDefaultAction, R 429
 - Cycle, R 400
 - CycleLength, R 400
 - CycleLengths, R 400
 - Cycles, R 400
 - CycleStructureClass, R 768
 - CycleStructurePerm, R 408
 - CyclicExtensionsTom, R 704
 - CyclicGroup, R 503
 - CyclotomicField, R 582
 - cyclotomic field elements, R 155
 - cyclotomic fields, canonicalbasis, R 584
 - CyclotomicPolynomial, R 667
 - Cyclotomic Polynomials, R 667
 - Cyclotomics, R 155
 - cyclotomics, defaultfield, R 583
- D**
- d_N , R 159
 - Darstellungsgruppe, see EpimorphismSchurCover, R 376
 - DataType, R 125
 - data type, unknown, R 165
 - DayDMY, R 254
 - DaysInMonth, R 254
 - DaysInYear, R 254
 - Debugging, T 85
 - Debugging Recursion, R 84
 - DEC, R 240
 - Declaration and Implementation Part, E 37, P 33
 - DeclareAttribute, P 31
 - example, P 41

- DeclareAutoPackage, R 838
- DeclareAutoreadableVariables, E 40
- DeclareAutoreadableVariables, *E 40*
- DeclareCategory, P 31
- DeclareFilter, P 31
- DeclareGlobalFunction, P 31
- DeclareGlobalVariable, P 32
- DeclareHandlingByNiceBasis, R 603
- DeclareInfoClass, R 79
- DeclareOperation, P 31
- DeclarePackage, R 838
- DeclarePackageAutoDocumentation, R 838
- DeclarePackageDocumentation, R 838
- DeclareProperty, P 31
- DeclareRepresentation, P 31
 - belongs to implementation part, P 33
 - example, P 37
- DeclareSynonym, P 32
- DeclareSynonymAttr, P 32
- DecodeTree, R 492
- DecodeTree, *R 492*
- decompose, a group character, R 766
- DecomposedFixedPointVector, R 704
- DecomposeTensorProduct, R 647
- Decomposition, R 240
- DecompositionInt, R 241
- DecompositionMatrix, R 733
- decomposition matrix, R 240
- Decompositions, *R 240*
- Decreased, R 775
- DefaultField, R 570
 - for cyclotomics, R 158
 - for finite field elements, R 578
- DefaultFieldByGenerators, R 571
- DefaultFieldOfMatrix, R 221
- DefaultFieldOfMatrixGroup, R 424
- DefaultRing, R 554
 - for finite field elements, R 578
- DefaultRingByGenerators, R 555
- DefaultStabChainOptions, R 417
- Defining a Pcgs Yourself, *R 431*
- DefiningPolynomial, R 572
- DefiningQuotientHomomorphism, R 470
- DegreeFFE, R 577
- DegreeIndeterminate, R 665
- DegreeOfBinaryRelation, R 311
- DegreeOfCharacter, R 766
- DegreeOfLaurentPolynomial, R 664
- DegreeOfTransformation, R 547
- DegreeOfTransformationSemigroup, R 533
- DegreeOverPrimeField, R 572
- Delta, R 813
- Denominator, T 78
- denominator, of a rational, R 144
- DenominatorCyc, R 157
- DenominatorOfModuloPcgs, R 437
- DenominatorOfRationalFunction, R 662
- DenominatorRat, R 144
- DenseHashTable, N 11
- Dense hash tables, *N 11*
- DenseIntKey, N 11
- deprecated, R 838
- DepthOfPcElement, R 433
- DepthOfUpperTriangularMatrix, R 230
- DepthVector, T 78
- Derangements, R 149
- Derivations, R 632
- Derivative, R 666
- DerivedLength, R 365
- DerivedSeriesOfGroup, R 365
- DerivedSubgroup, R 357
- DerivedSubgroupsTom, R 703
- DerivedSubgroupsTomPossible, R 703
- DerivedSubgroupsTomUnique, R 703
- DerivedSubgroupTom, R 703
- DescriptionOfRootOfUnity, R 158
- Designing new Multiplicative Objects, *P 63*
- Determinant, R 221
 - determinant character, R 768
- DeterminantIntMat, R 240
- DeterminantMat, R 221
- DeterminantMatDestructive, R 222
- DeterminantMatDivFree, R 222
- Determinant of an integer matrix, *R 240*
- DeterminantOfCharacter, R 768
- Developing rewriting systems, *R 342*
- DiagonalizeIntMat, R 238
- DiagonalizeMat, R 227
- DiagonalMat, R 223
- DiagonalOfMat, R 229
- Dictionaries, *N 9*
- DictionaryByPosition, N 10
- Difference, R 271
- DifferenceBlist, R 207
- Different Notions of Generation, *T 81*
- DihedralGroup, R 504

- Dimension, R 568
- DimensionOfHighestWeightModule, R 648
- DimensionOfMatrixGroup, R 424
- DimensionOfVectors, R 598
- DimensionsLoewyFactors, R 366
- DimensionsMat, R 221
- Directories, *R 91*
- DirectoriesLibrary, R 91
- DirectoriesPackageLibrary, R 836
- DirectoriesPackagePrograms, R 836
- DirectoriesSystemPrograms, R 92
- Directory, R 91
- DirectoryContents, R 92
- DirectoryCurrent, R 91
- DirectoryTemporary, R 91
- DirectProduct, R 498
- Direct product chain subgroups, *N 21*
- DirectProductOp, R 498
- Direct Products, *R 498*
- DirectSumDecomposition, R 617
 - for Lie algebras, R 636
- Direct Sum Decompositions, *R 635*
- DirectSumOfAlgebraModules, R 628
 - for Lie algebras, R 651
- DirectSumOfAlgebras, R 616
- DisableAttributeValueStoring, R 123
- disable automatic loading, R 834
- Discriminant, R 666
- Display, R 66
 - for character tables, R 737
 - for tables of marks, R 696
- DisplayCacheStats, R 83
- DisplayCompositionSeries, R 364
- DisplayEggBoxOfDClass, R 535
- DisplayImfInvariants, R 524
- DisplayInformationPerfectGroups, R 517
- DisplayOptions, R 738
- DisplayOptionsStack, R 89
- DisplayProfile, R 82
- DisplayRevision, R 83
- DistancesDistributionMatFFVecFFE, R 214
- DistancesDistributionVecFFESVecFFE, R 214
- DistanceVecFFE, R 214
- Distinguished Subalgebras, *R 633*
- division, R 48
 - operation, R 292
- DivisionRingByGenerators, R 571
- division rings, R 570
- divisors, of an integer, R 133
- DivisorsInt, R 133
- Dixon-Schneider algorithm, R 742
- DixonInit, R 743
- DixonRecord, R 743
- DixonSplit, R 743
- DixontinI, R 743
- DMYDay, R 254
- DMYhmsSeconds, R 255
- DnLattice, R 776
- DnLatticeIterative, R 777
- do, R 52
- document formats, for help books, E 43
- document formats (text, dvi, ps, pdf, html), R 23
- Domain, R 288
- DomainByGenerators, R 288
- Domain Categories, *R 285*
- Domain Constructors, *T 69*
- Domains, *R 111*
- Domains as Sets, *T 68*
- Domains Generated by Class Functions, *R 789*
- Domains of Subspaces of Vector Spaces, *R 590*
- DominantCharacter, R 647
- DominantWeights, R 647
- DoubleCoset, R 353
- DoubleCosetRepsAndSizes, R 354
- Double Cosets, *R 353*
- DoubleCosets, operation, R 353
- DoubleCosetsNC, operation, R 353
- DoubleHashArraySize, N 11
- doublequote character, R 247
- doublequotes, R 245
- DownEnv, R 70, T 85
- Dummy Streams, *R 106*
- duplicate free, R 190
- DuplicateFreeList, R 195
- Duplication of Lists, *R 177*
- Duplication of Objects, *R 114*
- DxIncludeIrreducibles, R 744
- E**
- E, R 155
- e_N , R 159
- EANormalSeriesByPcgs, R 439
- Earns, R 401
- EB, R 159
- EC, R 159
- Echelonized Matrices, *R 227*

- ED, R 159
- Edit, R 74
- Editing Files, *R 74*
- Editor Support, *R 74*
- EE, R 159
- EF, R 159
- Efficiency of Homomorphisms, *R 382*
- EG, R 159
- EggBoxOfDClass, R 535
- EH, R 159
- EI, R 160
- Eigenspaces, R 226
- Eigenvalues, R 226
- EigenvaluesChar, R 769
- Eigenvectors, R 226
- Eigenvectors and eigenvalues, *R 226*
- EJ, R 160
- EK, R 160
- EL, R 160
- ElementaryAbelianGroup, R 504
- ElementaryAbelianSeries, R 365
- ElementaryAbelianSeriesLargeSteps, R 365
- Elementary Divisors, *R 226*
- ElementaryDivisorsMat, R 227
- ElementaryDivisorsMatDestructive, R 227
- Elementary Operations for a Pcgs, *R 432*
- Elementary Operations for a Pcgs and an Element, *R 432*
- Elementary Operations for Integers, *R 126*
- Elementary Operations for Rationals, *R 143*
- Elementary Tietze Transformations, *R 486*
- ElementOffFpGroup, R 460
- ElementOffFpSemigroup, R 544
- ElementOfMagmaRing, R 655
- ElementOrdersPowerMap, R 792
- ElementProperty, R 421
- Elements, R 268, T 78
- elements, T 24
 - definition, R 110
 - of a list or collection, R 268
- Elements as equivalence classes, *R 110*
- ElementsFamily, P 20, R 263
- Elements in Algebraic Extensions, *R 682*
- Elements of Finitely Presented Groups, *T 84*
- Elements of Free Magma Rings, *R 654*
- Elements of pc groups, *R 448*
- ElementsStabChain, R 419
- Elements with Prescribed Images, *R 396*
- element test, for lists, R 179
- elif, R 51
- EliminatedWord, R 331
- EliminationOrdering, R 675
- ElmWPObj, E 52
- else, R 51
- EM, R 160
- emacs, R 74
- email addresses, T 16
- Embedding, R 301
 - example for direct products, R 498
 - example for semidirect products, R 500
 - example for wreath products, R 501
 - for group products, R 502
 - for Lie algebras, R 631
 - for magma rings, R 655
- embeddings, find all, R 388
- Embeddings and Projections for Group Products, *R 502*
- EmptyBinaryRelation, R 310
- EmptyMatrix, R 223
- EmptySCTable, R 607
- EmptyStabChain, R 420
- EnableAttributeValueStoring, R 123
- End, R 601
- end, R 55
- Enforcing Property Tests, *P 35*
- Enlarging Internally Represented Lists, *R 179*
- Enumerator, R 264
- enumerator, T 49
- EnumeratorByBasis, R 594
- EnumeratorByFunctions, R 264
- Enumerators, *R 205*
- EnumeratorSorted, R 264
- environment, R 55
- EpimorphismNilpotentQuotient, R 472
- EpimorphismPGroup, R 471
- EpimorphismQuotientSystem, R 471
- epimorphisms, find all, R 388
- EpimorphismSchurCover, R 376
- equality, associative words, R 329
 - elements of finitely presented groups, R 458
 - nonassociative words, R 322
 - of records, R 260
 - operation, R 291
 - pcwords, R 448
- Equality and Comparison of Domains, *R 283*
- equality test, R 47

- for permutations, R 407
- equivalence class, R 313
- Equivalence Classes, *R 313*
- EquivalenceClasses, attribute, R 314
- EquivalenceClassOfElement, R 314
- EquivalenceClassOfElementNC, R 314
- EquivalenceClassRelation, R 314
- equivalence relation, R 311
- EquivalenceRelationByPairs, R 313
- EquivalenceRelationByPairsNC, R 313
- EquivalenceRelationByPartition, R 313
- EquivalenceRelationByPartitionNC, R 313
- EquivalenceRelationByProperty, R 313
- EquivalenceRelationByRelation, R 313
- EquivalenceRelationPartition, R 313
- Equivalence Relations, *R 312*
- ER, R 160
- Error, R 72
- Error, *R 72*
- ErrorCount, R 72
- ErrorCount, *R 72*
- ErrorNoTraceBack, R 68
- errors, syntax, R 64
- ES, R 160
- escaped characters, R 247
- escaping non-special characters, R 247
- ET, R 160
- EU, R 160
- EuclideanDegree, R 562
- EuclideanQuotient, R 562
- EuclideanRemainder, R 562
- Euclidean Rings, *R 562*
- Euler's totient function, R 136
- EulerianFunction, R 363
- EulerianFunctionByTom, R 704
- EV, R 160
- EvalStraightLineProgElm, R 338
- EvalString, R 254
- evaluation, R 42
 - strings, R 253
- EW, R 160
- EX, R 160
- ExactSizeConsiderFunction, R 373
- Example – Constructing Enumerators, *P 24*
- Example – Constructing Iterators, *P 26*
- Example: Groups with a decomposition as semidirect product, *P 41*
- Example: Groups with a word length, *P 40*
- Example: M-groups, *P 40*
- Examples, Lists, and Verbatim, *E 20*
- Exec, R 109
- Exec, *R 109*
- execution, R 49
- exit, R 72
- expanded form of monomials, R 678
- Expert Windows installation, *R 832*
- Exponent, R 363
 - for character tables, R 726
- exponent, of the prime residue group, R 136
- exponentiation, operation, R 292
- ExponentOfPcElement, R 432
- ExponentsConjugateLayer, R 434
- ExponentsOfCommutator, R 434
- ExponentsOfConjugate, R 434
- ExponentsOfPcElement, R 432
- ExponentsOfRelativePower, R 434
- Exponents of Special Products, *R 434*
- ExponentSumWord, R 330
- ExponentSyllable, R 331
- Expressing Group Elements as Words in Generators, *R 348*
- Expressions, *R 42*
- ExtendedGroup, N 20
- ExtendedPcgs, R 436
- Extending the Range of Definition of an Existing Operation, *P 35*
- ExtendSchreierTransversal, N 17
- ExtendSchreierTransversalShortCube, N 17
- ExtendSchreierTransversalShortTree, N 17
- ExtendStabChain, R 420
- Extension, R 453
- ExtensionNC, R 453
- ExtensionRepresentatives, R 454
- Extensions, R 453
- Extensions of the p-adic Numbers, *R 685*
- ExteriorPowerOfAlgebraModule, R 651
- ExternalOrbit, R 404
- ExternalOrbits, R 404
- ExternalOrbitsStabilizers, R 404
- External Representation, *P 28*
- External Representation for Nonassociative Words, *R 325*
- external representation of polynomials, R 678
- ExternalSet, E 48, R 403
- external set, T 48
- External Sets, *R 403*

- ExternalSubset, R 404
- Extract, R 773
- ExtraspecialGroup, R 504
- ExtRepDenominatorRatFun, R 679
- ExtRepNumeratorRatFun, R 679
- ExtRepOfObj, P 29
 - external representation, for cyclotomics, R 158
- ExtRepPolynomialRatFun, R 679
- EY, R 160
- F**
- F, Function mark-up, E 16
- f_N , R 159
- FactorCosetAction, R 399
 - for fp groups, R 462
- FactorCosetOperation, R 462
- FactorFreeSemigroupByRelations, R 542
- FactorGroup, R 367
- FactorGroupFpGroupByReIs, R 458
- FactorGroupNC, R 367
- FactorGroupNormalSubgroupClasses, R 754
- Factor Groups, R 366
- Factor Groups of Polycyclic Groups - Modulo PcgS, R 436
- Factor Groups of Polycyclic Groups in their Own Representation, R 438
- FactorGroupTom, R 705
- Factorial, R 145
- Factorization, R 349
- factorization, R 348
- Factors, R 562
 - of univariate polynomial, R 667
- FactorsInt, R 132
- FactorsOfDirectProduct, R 747
- FactorsSquarefree, R 668
- Fail, R 167, T 77
- fail, R 167
- fail instead of false, T 77
- FaithfulModule, R 627
 - for Lie algebras, R 645
- Families, R 116
- FamiliesOfGeneralMappingsAndRanges, R 309
- FamiliesOfRows, R 753
- family, T 31
- FamilyForOrdering, R 277
- FamilyObj, R 116
- FamilyPcgs, R 447
- FamilyRange, R 309
- FamilySource, R 309
- FAQ, R 824
- Fast access to last hash index, N 11
- features, under UNIX, R 27
- fi, R 51
- Fibonacci, R 153
- Fibonacci and Lucas Sequences, R 153
- Field, R 570
- FieldExtension, R 572
- field homomorphisms, Frobenius, R 580
- FieldOfMatrixGroup, R 424
- FieldOverItselfByGenerators, R 571
- fields, R 570
- File Access, R 93
- FileDescriptorOfStream, R 98
- Filename, R 92
- Filename, R 92
- File Operations, R 94
- File Streams, R 103
- File Structure, E 32
- File Types, E 32
- Filtered, R 198
- Filters, R 117
- filters, T 73
- Filters Controlling the Arithmetic Behaviour of Lists, R 181
- Finding Implementations in the Library, E 33
- Finding Positions in Lists, R 187
- Finding Submodules, R 688
- FindS12, R 643
- Finish Installation and Cleanup, R 823
- Finite Field Elements, R 576
- Finitely Presented Lie Algebras, R 643
- Finitely presented monoids, R 544
- finiteness test, for a list or collection, R 268
- Finite Perfect Groups, R 515
- First, R 199
- FittingSubgroup, R 358
- Flat, R 196
- FlushCaches, P 33
- flush character, R 247
- foa triples, E 46
- For, R 52
- ForAll, R 200
- For and While Loops, T 33
- ForAny, R 200
- for loop, R 52
- Forming Closures of Domains, T 70

- FpElmComparisonMethod, R 459
 - FpGroupPresentation, R 475
 - FpGrpMonSmgOfFpGrpMonSmgElement, R 542
 - FpLieAlgebraByCartanMatrix, R 644
 - frame, R 778
 - FrattiniSubgroup, R 358
 - for groups with pcgs, R 445
 - FreeAlgebra, R 606
 - FreeAlgebraWithOne, R 606
 - FreeAssociativeAlgebra, R 606
 - FreeAssociativeAlgebraWithOne, R 606
 - FreeGeneratorsOfFpGroup, R 459
 - FreeGeneratorsOfFpSemigroup, R 543
 - FreeGeneratorsOfWholeGroup, R 459
 - FreeGroup, R 326
 - FreeGroupOfFpGroup, R 459
 - Free Groups, Monoids and Semigroups, *R 326*
 - FreeLeftModule, R 568
 - FreeLieAlgebra, R 632
 - FreeMagma, R 324
 - FreeMagmaRing, R 653
 - Free Magma Rings, *R 653*
 - Free Magmas, *R 324*
 - FreeMagmaWithOne, R 324
 - Free Modules, *R 567*
 - FreeMonoid, R 538
 - with example, R 327
 - FreeMonoidOfRewritingSystem, R 546
 - FreeSemigroup, R 327
 - with examples, R 532
 - FreeSemigroupOfFpSemigroup, R 543
 - FreeSemigroupOfRewritingSystem, R 546
 - Frobenius automorphism, R 580
 - FrobeniusAutomorphism, R 580
 - FrobeniusAutomorphism, *R 580*
 - FrobeniusCharacterValue, R 787
 - FullMatrixAlgebra, R 609
 - FullMatrixAlgebraCentralizer, R 617
 - FullMatrixLieAlgebra, R 632
 - FullMatrixModule, R 569
 - FullMatrixSpace, R 598
 - FullRowModule, R 569
 - FullRowSpace, R 598
 - FullTransformationSemigroup, R 533
 - Function, *R 55*
 - function, R 55
 - FunctionAction, R 403
 - function call, R 46
 - with arguments, R 46
 - with options, R 46
 - Function Calls, *R 46*
 - FunctionOperation, R 838
 - functions, R 61
 - definition by arrow notation, R 57
 - definition of, R 55
 - recursive, R 55
 - with a variable number of arguments, R 56
 - FunctionsFamily, R 63
 - Functions for Coding Theory, *R 214*
 - Functions for GAP Packages, *R 835*
 - Functions that do nothing, *R 62*
 - Function that Modify Boolean Lists, *R 208*
 - Function Types, *R 63*
 - Further Improvements in Implementing Residue Class Rings, *P 61*
 - Further Information about Domains, *T 71*
 - Further Information about Functions, *T 43*
 - Further Information about GAP, *T 16*
 - Further Information about Groups and Homomorphisms, *T 57*
 - Further Information about Lists, *T 38*
 - Further Information about Vector Spaces and Algebras, *T 67*
 - Further Information introducing the System, *T 26*
 - FusionCharTableTom, R 711
 - FusionConjugacyClasses, R 794
 - FusionConjugacyClassesOp, R 794
 - fusions, R 794
 - FusionsAllowedByRestrictions, R 810
 - FusionsTom, R 700
- ## G
- G -sets, E 48, R 391
 - g_N , R 159
 - gac, R 34
 - Galois Action, *R 572*
 - Galois Conjugacy of Cyclotomics, *R 161*
 - GaloisCyc, R 161
 - for class functions, R 762
 - GaloisField, R 579
 - GaloisGroup, of field, R 573
 - of rational class of a group, R 356
 - Galois Groups of Abelian Number Fields, *R 586*
 - GaloisMat, R 163
 - GaloisStabilizer, R 584
 - GaloisType, R 668

- gap.rc, R 33
- GAP3, R 33
- Gap3CatalogueIdGroup, R 513
- GAPDocManualLab, E 41
- GAP for Macintosh OS X, R 828
- GAP for MacOS, R 829
- GAPInfo, R 839
- GAPInfo.RootPaths, R 29
- GAPInfo.Version, E 40
- GapInputPcGroup, R 452
- GapInputSCTable, R 607
- GAPKB_REW, R 545
- gapmacro.tex, E 11
- GAP Root Directory, R 90
- GasmanLimits, R 86
- GasmanMessageStatus, R 86
- GasmanStatistics, R 86
- Gaussian algorithm, R 225
- GaussianIntegers, R 588
- GaussianRationals, R 583
- Gaussians, R 588
- Gcd, R 563
- Gcd and Lcm, R 563
- Gcdex, R 130
- GcdInt, R 129
- GcdOp, R 563
- GcdRepresentation, R 563
- GcdRepresentationOp, R 563
- General Binary Relations, R 310
- General hash table definitions and operations, N 10
- General Hash Tables, N 10
- GeneralisedEigenspaces, R 226
- GeneralisedEigenvalues, R 226
- generalized characters, R 756
- Generalized Conjugation Technique, E 54
- generalized conjugation technique, E 54
- GeneralizedEigenspaces, R 226
- GeneralizedEigenvalues, R 226
- GeneralLinearGroup, R 505
- GeneralMappingByElements, R 299
- General Mappings, R 308
- GeneralMappingsFamily, R 309
- General operations on transversals, N 16
- GeneralOrthogonalGroup, R 507
- GeneralUnitaryGroup, R 506
- Generating Fields, R 570
- Generating modules, R 566
- Generating Rings, R 554
- GeneratingSetIsComplete, N 19
- generator, of the prime residue group, R 138
- GeneratorsOfAdditiveGroup, R 552
- GeneratorsOfAdditiveMagma, R 552
- GeneratorsOfAdditiveMagmaWithZero, R 552
- GeneratorsOfAlgebra, R 613
- GeneratorsOfAlgebraModule, R 624
- GeneratorsOfAlgebraWithOne, R 613
- GeneratorsOfDivisionRing, R 571
- GeneratorsOfDomain, R 287
- GeneratorsOfEquivalenceRelationPartition, R 313
- GeneratorsOfField, R 571
- GeneratorsOfGroup, R 345
- GeneratorsOfIdeal, R 557
- GeneratorsOfLeftIdeal, R 558
- GeneratorsOfLeftModule, R 566
- GeneratorsOfLeftOperatorAdditiveGroup, R 566
- GeneratorsOfLeftVectorSpace, R 590
- GeneratorsOfMagma, R 318
- GeneratorsOfMagmaWithInverses, R 318
- GeneratorsOfMagmaWithOne, R 318
- GeneratorsOfMonoid, R 538
- GeneratorsOfNearAdditiveGroup, R 552
- GeneratorsOfNearAdditiveMagma, R 552
- GeneratorsOfNearAdditiveMagmaWithZero, R 552
- GeneratorsOfPresentation, R 475
- GeneratorsOfRightIdeal, R 558
- GeneratorsOfRightModule, R 567
- GeneratorsOfRightOperatorAdditiveGroup, R 566
- GeneratorsOfRing, R 555
- GeneratorsOfRingWithOne, R 559
- GeneratorsOfRws, R 340
- GeneratorsOfSemigroup, R 531
- GeneratorsOfSomething, T 69
- GeneratorsOfStruct, R 284
- GeneratorsOfTwoSidedIdeal, R 557
- GeneratorsOfVectorSpace, R 590
- GeneratorsPrimeResidues, R 137
- GeneratorsSmallest, R 374
- GeneratorsSubgroupsTom, R 709
- GeneratorSyllable, R 331
- Generic Construction of Tables of Marks, R 712
- GetFusionMap, R 796
- GetHashEntry, N 10
- GetHashEntryAtLastIndex, N 12
- GetHashEntryIndex, N 11

- getter, of an attribute, T 72
 - Get the Archives, R 819
 - getting help, R 22
 - GF, R 579
 - GL, R 505
 - GL and SL, R 425
 - Global Memory Information, R 86
 - Global Variables in the Library, P 31
 - GModuleByMats, R 687
 - GO, R 507
 - GQuotients, R 388
 - Grading, R 618
 - Green's Relations, R 534
 - GreensDClasses, R 535
 - GreensDClassOfElement, R 535
 - GreensDRelation, R 534
 - GreensHClasses, R 535
 - GreensHClassOfElement, R 535
 - GreensHRelation, R 534
 - GreensJClasses, R 535
 - GreensJClassOfElement, R 535
 - GreensJRelation, R 534
 - GreensLClasses, R 535
 - GreensLClassOfElement, R 535
 - GreensLRelation, R 534
 - GreensRClasses, R 535
 - GreensRClassOfElement, R 535
 - GreensRRelation, R 534
 - Groebner Bases, R 676
 - GroebnerBasis, R 676
 - GroebnerBasisNC, R 676
 - Group, R 344
 - group actions, R 391
 - operations syntax, R 391
 - Group Actions - Name Changes, R 838
 - group algebra, R 653
 - Group Automorphisms, R 384
 - GroupByRws, R 450
 - GroupByRwsNC, R 450
 - group characters, R 756
 - Group Elements, R 344
 - group general mapping, T 55
 - single-valued, T 55
 - total, T 55
 - GroupGeneralMappingByImages, R 380
 - GroupHClassOfGreensDClass, R 536
 - GroupHomomorphismByFunction, R 380
 - GroupHomomorphismByImages, R 379
 - GroupHomomorphismByImagesNC, R 379
 - GroupHomomorphismByImages vs. GroupGeneralMappingByImages, T 55
 - Group Homomorphisms, Group Homomorphisms, by Images, T 54
 - GroupOfPcgs, R 432
 - group operations, R 392
 - Group Properties, R 361
 - GroupRing, R 653
 - group ring, R 653
 - Groups of Automorphisms, R 386
 - GroupStabChain, R 418
 - GroupWithGenerators, R 345
 - GU, R 506
- ## H
- h_N , R 159
 - HallSubgroup, R 359
 - HallSystem, R 360
 - for groups with pcgs, R 445
 - Handling of Streams in the Background, R 106
 - HasAbelianFactorGroup, R 367
 - HasChainHomomorphicImage, N 20
 - HasElementaryAbelianFactorGroup, R 367
 - HashFunc, N 11
 - HashKeyEnumerator, N 10
 - Hash keys, N 10
 - HasIndeterminateName, R 660
 - HasParent, R 286
 - HasseDiagramBinaryRelation, R 312
 - HeadPcElementByNumber, R 434
 - Help, T 25
 - HELP_ADD_BOOK, E 42
 - HenselBound, R 669
 - hermite normal form, R 838
 - HermiteNormalFormIntegerMat, R 238
 - HermiteNormalFormIntegerMatTransform, R 238
 - HeuristicCancelPolynomials, R 681
 - HexStringInt, R 250
 - HighestWeightModule, R 650
 - History of Character Theory Stuff in GAP, R 716
 - HMSMSec, R 255
 - Hom, R 601
 - HomCoset, N 14
 - Hom coset chain subgroups, N 20
 - HomCosetWithImage, N 14
 - HomeEnumerator, R 403

- Homomorphism, for quotient groups by
 - homomorphisms, N 14
 - for subgroup transversals, N 17
- homomorphism, action, T 48
 - natural, T 45
 - operation, T 48
- Homomorphism for very large groups, *R 383*
- HomomorphismQuotientSemigroup, R 534
- homomorphisms, find all, R 387
- homomorphisms, Frobenius, field, R 580
- Homomorphisms of Algebras, *R 618*
- Homomorphisms vs. Factor Structures, *T 83*
- Homomorphisms vs. General Mappings, *T 83*
- HomomorphismTransformationSemigroup, R 533
- HomTransversal, N 17
- How to Implement New Kinds of Vector Spaces, *R 603*
- HumanReadableDefinition, R 707
- I**
- i_N , R 160
- Ideal, R 556
- IdealByGenerators, R 557
- IdealNC, R 557
- Ideals, *R 611*
- Ideals in Rings, *R 556*
- Ideals of semigroups, *R 533*
- Idempotents, R 319
- IdempotentsTom, R 700
- IdempotentsTomInfo, R 700
- Identical Lists, *R 176, T 29*
- Identical Objects, *R 111*
- Identical Records, *R 259*
- IdentificationOfConjugacyClasses, R 722
- Identifier, for character tables, R 728
 - for tables of marks, R 701
- identifier, T 22
- Identifiers, *R 41*
- Identity, R 288
- IdentityBinaryRelation, R 310
- IdentityFromSCTable, R 608
- IdentityMapping, R 301
- IdentityMat, R 222
- IdentityTransformation, R 547
- IdFunc, R 63
- IdGap3SolvableGroup, R 513
- IdGroup, R 513
- IdSmallGroup, R 513
- IdsOfAllSmallGroups, R 513
- If, *R 51*
- if statement, R 51
- If Statements, *T 40*
- If Things Go Wrong, *R 824*
- Image, R 302
 - for Frobenius automorphisms, R 580
- image, vector under matrix, R 220
- ImageElm, R 302
- ImageElt, N 14
- ImageGroup, N 17
- ImageListOfTransformation, R 547
- Images, R 303
- ImagesElm, R 302
- ImageSetOfTransformation, R 548
- ImagesRepresentative, R 302
- ImagesSet, R 302
- ImagesSmallestGenerators, R 383
- ImagesSource, N 14, R 302
- Images under Mappings, *R 302*
- ImfInvariants, R 526
- ImfMatrixGroup, R 527
- ImfNumberQClasses, R 524
- ImfNumberQQClasses, R 524
- ImfNumberZClasses, R 524
- Immediate Methods, *P 13*
- Immutability, *T 30*
- Immutable, R 113
- ImmutableBasis, R 596
- ImmutableMatrix, R 232
- Immutable Objects, *T 80*
- Implementing New List Objects, *P 23*
- in, for collections, R 271
 - for lists, R 179
 - for strictly sorted lists, R 193
 - operation for, R 271
- IndependentGeneratorsOfAbelianGroup, R 374
- Indeterminate, R 659
- IndeterminateName, R 660
- Indeterminateness, R 804
- IndeterminateNumberOfLaurentPolynomial, R 670
- IndeterminateNumberOfUnivariateRationalFunction, R 660
- IndeterminateOfUnivariateRationalFunction, R 660
- Indeterminates, *R 659*
- IndeterminatesOfPolynomialRing, R 670

- Index, R 346
- indexing commands, E 16
- IndexInWholeGroup, R 346
- IndexNC, R 346
- Index numbers of primitive groups, *R 521*
- Indicator, R 735
- IndicatorOp, R 735
- IndicesCentralNormalSteps, R 439
- IndicesChiefNormalSteps, R 440
- IndicesEANormalSteps, R 439
- IndicesInvoluntaryGenerators, R 464
- IndicesNormalSteps, R 441
- IndicesOfAdjointBasis, R 614
- IndicesPCentralNormalStepsPGroup, R 440
- IndicesStabChain, R 419
- Indirected, R 800
- Induced Actions, *R 689*
- InducedAutomorphism, R 386
- InducedClassFunction, R 770
- InducedClassFunctions, R 770
- InducedCyclic, R 771
- InducedPcgs, R 435
- InducedPcgsByGenerators, R 435
- InducedPcgsByGeneratorsNC, R 435
- InducedPcgsByPcSequence, R 435
- InducedPcgsByPcSequenceAndGenerators, R 435
- InducedPcgsByPcSequenceNC, R 435
- InducedPcgsWrtFamilyPcgs, R 447
- InducedPcgsWrtSpecialPcgs, R 443
- Inequalities, R 787
- inequality, of records, R 260
- inequality test, R 47
- InertiaSubgroup, R 767
- Infinity, *R 158*
- infinity, R 158
- inflated class functions, R 769
- Info, R 79
- InfoAlgebra, R 605
- InfoAttributes, R 123
- InfoBckt, R 421
- InfoCharacterTable, R 720
- InfoCoh, R 376
- InfoComplement, R 357
- InfoCoset, R 354
- InfoFpGroup, R 458
- Info Functions, *R 79*
- InfoGroebner, R 677
- InfoGroup, R 345
- InfoLattice, R 371
- InfoLevel, R 79
- InfoMatrix, R 218
- InfoMonomial, R 812
- InfoNumtheor, R 136
- InfoOptions, R 89
- InfoPcSubgroup, R 373
- Information about a function, *R 61*
- Information about the version used, *R 83*
- InfoText, R 729
- InfoTom, R 698
- InfoWarning, R 80
- init.g, for a GAP package, E 37
- InitFusion, R 809
- InitPowerMap, R 807
- Injection, N 18
- InjectionZeroMagma, R 317
- InnerAutomorphism, R 385
- InnerAutomorphismNC, R 385
- InnerAutomorphismsAutomorphismGroup, R 386
- inner product, of group characters, R 766
- In Parent Attributes, *E 47*
- InParentFOA, E 47
- Input-Output Streams, *R 104*
- InputLogTo, R 95
 - for streams, R 102
 - stop logging input, R 95
- InputOutputLocalProcess, R 105
- InputTextFile, R 103
- InputTextNone, R 106
- InputTextString, R 104
- InputTextUser, R 103
- InsertTrivialStabilizer, R 420
- InstallAtExit, R 72
- installation, R 819
- Installation of GAP for MacOS, *R 830*
- Installation of GAP Package Binaries, *E 38*
- Installation Overview, *R 819*
- InstallCharReadHookFunc, R 106
- InstalledPackageVersion, R 836
- InstallFactorMaintenance, R 294
- InstallFlushableValue, P 32
- InstallGlobalFunction, P 31
- InstallHandlingByNiceBasis, R 603
- InstallImmediateMethod, P 13
- Installing a GAP Package, *R 834*
- Installing a Help Book, *E 42*
- InstallIsomorphismMaintenance, R 294

- InstallMethod, P 11
- InstallOtherMethod, P 12
- InstallSubsetMaintenance, R 294
- InstallTrueMethod, P 14
- InstallValue, P 32
- Int, R 126
 - for cyclotomics, R 156
 - for strings, R 253
- INT_CHAR, R 252
- integer part of a quotient, R 129
- Integers, R 126
- Integral Bases of Abelian Number Fields, *R 584*
- IntegralizedMat, R 241
- IntegratedStraightLineProgram, R 337
- IntermediateGroup, R 366
- IntermediateSubgroups, R 366
- Internally Represented Cyclotomics, *R 164*
- Internally Represented Strings, *R 248*
- InterpolatedPolynomial, R 565
- IntersectBlist, R 208
- Intersection, R 270
 - for groups with pcgs, R 445
- intersection, of collections, R 270
 - of sets, R 194
- Intersection2, R 270
- IntersectionBlist, R 207
- IntersectionsTom, R 705
- IntersectSet, R 194
- IntFFE, R 578
- IntFFESymm, R 578
- IntHexString, R 253
- Introducing new Viewer for the Online Help, *E 44*
- IntScalarProducts, R 805
- IntVecFFE, R 578
- InvariantBilinearForm, R 426
- InvariantElementaryAbelianSeries, R 365
- Invariant Forms, *R 426*
- InvariantLattice, R 428
- InvariantQuadraticForm, R 426
- InvariantSesquilinearForm, R 426
- InvariantSubgroupsElementaryAbelianGroup, R 372
- Inverse, R 290
- inverse, group homomorphism, R 381
 - matrix, R 220
 - of class function, R 761
- InverseAttr, R 290
- InverseClasses, R 729
- InverseGeneralMapping, R 300
- InverseImmutable, R 290
- InverseMap, R 799
- InverseMatMod, R 234
- InverseMutable, R 290
- InverseOp, R 290
- InverseRepresentative, R 419
- InverseSameMutability, R 290
- InverseSM, R 290
- Invoking the Help, *R 22*
- Irr, R 724
- irrationalities, R 155
- IrrBaumClausen, R 740
- IrrConlon, R 740
- IrrDixonSchneider, R 740
- Irreducibility Tests, *R 688*
- irreducible character, R 765
- irreducible characters, computation, R 743
- IrreducibleDifferences, R 772
- Irreducible Maximal Finite Integral Matrix Groups, *R 522*
- IrreducibleModules, R 742
 - for groups with pcgs, R 445
- IrreducibleRepresentations, R 741
- IrreducibleRepresentationsDixon, R 742
- IrreducibleSolvableGroup, R 522
- IrreducibleSolvableGroupMS, R 521
- Irreducible Solvable Matrix Groups, *R 521*
- Is16BitsFamily, R 333
- Is32BitsFamily, R 333
- Is8BitsFamily, R 333
- IsAbelian, R 319
 - for character tables, R 726
- IsAbelianNumberField, R 583
- IsAbelianNumberFieldPolynomialRing, R 672
- IsAbelianTom, R 702
- IsAdditiveElement, R 295
- IsAdditiveElementWithInverse, R 295
- IsAdditiveElementWithZero, R 295
- IsAdditiveGroup, R 551
- IsAdditiveGroupGeneralMapping, R 307
- IsAdditiveGroupHomomorphism, R 307
- IsAdditivelyCommutative, R 552
- IsAdditivelyCommutativeElement, R 297
- IsAdditivelyCommutativeElementCollColl, R 297
- IsAdditivelyCommutativeElementCollection, R 297

- IsAdditivelyCommutativeElementFamily, R 297
- IsAdditiveMagma, R 550
- IsAdditiveMagmaWithInverses, R 551
- IsAdditiveMagmaWithZero, R 550
- IsAlgebra, R 612
- IsAlgebraGeneralMapping, R 308
- IsAlgebraHomomorphism, R 308
- IsAlgebraicElement, R 683
- IsAlgebraicExtension, R 682
- IsAlgebraModuleElement, R 624
- IsAlgebraModuleElementCollection, R 624
- IsAlgebraModuleElementFamily, R 624
- IsAlgebraWithOne, R 612
- IsAlgebraWithOneGeneralMapping, R 308
- IsAlgebraWithOneHomomorphism, R 308
- IsAlphaChar, R 249
- IsAlternatingGroup, R 412
- IsAnticommutative, R 560
- IsAntisymmetricBinaryRelation, R 311
- IsAssociated, R 560
- IsAssociative, R 319
- IsAssociativeElement, R 297
- IsAssociativeElementCollColl, R 297
- IsAssociativeElementCollection, R 297
- IsAssocWord, R 326
- IsAssocWordWithInverse, R 326
- IsAssocWordWithOne, R 326
- IsAttributeStoringRep, P 37
- IsAutomorphismGroup, R 386
- IsBasicWreathLessThanOrEqual, R 329
- IsBasicWreathProductOrdering, R 281
- IsBasis, R 592
- IsBasisByNiceBasis, R 603
- IsBasisOfAlgebraModuleElementSpace, R 625
- IsBergerCondition, R 813
- IsBijection, T 78
- IsBijective, R 302
- IsBinaryRelation, R 310
 - same as IsEndoGeneralMapping, R 310
- IsBLetterAssocWordRep, R 332
- IsBLetterWordsFamily, R 332
- IsBlist, R 206
- IsBlockMatrixRep, R 234
- IsBool, R 167
- IsBound, for lists, R 175
- IsBound and Unbind for Lists, R 175
- IsBound and Unbind for Records, R 261
- IsBoundElmWPObj, E 52
- IsBoundGlobal, R 45
- IsBrauerTable, R 719
- IsBravaisGroup, R 428
- IsBuiltFromAdditiveMagmaWithInverses, R 341
- IsBuiltFromGroup, R 341
- IsBuiltFromMagma, R 341
- IsBuiltFromMagmaWithInverses, R 341
- IsBuiltFromMagmaWithOne, R 341
- IsBuiltFromSemigroup, R 341
- IsCanonicalBasis, R 595
- IsCanonicalBasisFullMatrixModule, R 599
- IsCanonicalBasisFullRowModule, R 599
- IsCanonicalNiceMonomorphism, R 384
- IsCanonicalPcgs, R 436
- IsCentral, R 319
- IsChainTypeGroup, N 19
- IsChar, R 245
- IsCharacter, R 765
- IsCharacteristicSubgroup, R 346
- IsCharacterTable, R 719
- IsCharacterTableInProgress, R 719
- IsCharCollection, R 245
- IsCheapConwayPolynomial, R 581
- IsClassFunction, R 756
- IsClassFusionOfNormalSubgroup, R 735
- IsClosedStream, R 97
- IsCochain, R 645
- IsCochainCollection, R 645
- IsCollection, R 263
- IsCollectionFamily, R 263
- IsCommutative, R 319
- IsCommutativeElement, R 297
- IsCommutativeElementCollColl, R 297
- IsCommutativeElementCollection, R 297
- IsComponentObjectRep, P 37
- IsCompositionMappingRep, R 300
- IsConfluent, R 339
 - for pc groups, R 450
- IsConjugacyClassSubgroupsByStabilizerRep, R 368
- IsConjugacyClassSubgroupsRep, R 368
- IsConjugate, R 356
- IsConjugatorAutomorphism, R 385
- IsConjugatorIsomorphism, R 385
- IsConstantRationalFunction, R 663
- IsConstantTimeAccessGeneralMapping, R 308
- IsConstantTimeAccessList, R 171
- IsContainedInSpan, R 597

- IsCopyable, R 112
- IsCyc, R 155
- IsCyclic, R 361
 - for character tables, R 726
- IsCyclicTom, R 702
- IsCyclotomic, R 155
- IsCyclotomicField, R 584
- IsCyclotomicMatrixGroup, R 427
- IsDenseList, R 170
- IsDiagonalMat, R 222
- IsDictionary, N 9
- IsDigitChar, R 249
- IsDirectoryPath, R 93
- IsDistributive, R 560
- IsDivisionRing, R 570
- IsDomain, R 287
- IsDoneIterator, R 274
- IsDoubleCoset, R 354
- IsDuplicateFree, R 190
- IsDuplicateFreeList, R 190
- IsDxLargeGroup, R 744
- IsElementaryAbelian, R 361
- IsElementOfFpMonoid, R 542
- IsElementOfFpSemigroup, R 542
- IsElementOfFreeMagmaRing, R 654
- IsElementOfFreeMagmaRingCollection, R 654
- IsElementOfFreeMagmaRingFamily, R 654
- IsElementOfMagmaRingModuloRelations, R 656
- IsElementOfMagmaRingModuloRelations-Collection, R 656
- IsElementOfMagmaRingModuloRelationsFamily, R 656
- IsElementOfMagmaRingModuloSpanOfZeroFamily, R 656
- IsEmpty, R 268
- IsEmptyString, R 248
- IsEndOfStream, R 100
- IsEndoGeneralMapping, R 308
 - same as IsBinaryRelation, R 310
- IsEqualSet, R 193
- IsEquivalenceClass, R 313
- IsEquivalenceRelation, R 311
- IsEuclideanRing, R 562
- IsEvenInt, R 127
- IsExecutableFile, R 93
- IsExistingFile, R 93
- IsExtAElement, R 295
- IsExternalOrbit, R 404
- IsExternalSet, R 403
- IsExternalSubset, R 404
- IsExtLElement, R 295
- IsExtRElement, R 295
- IsFamilyPcgs, R 447
- IsFFE, R 576
- IsFFECollColl, R 576
- IsFFECollection, R 576
- IsField, R 570
- IsFieldControlledByGaloisGroup, R 573
- IsFieldHomomorphism, R 308
- IsFinite, R 268
 - for character tables, R 726
- IsFiniteDimensional, R 568
 - for matrix algebras, R 613
- IsFiniteFieldPolynomialRing, R 672
- IsFinitelyGeneratedGroup, R 362
- IsFiniteOrderElement, R 297
- IsFiniteOrderElementCollColl, R 297
- IsFiniteOrderElementCollection, R 297
- IsFiniteOrdersPcgs, R 432
- IsFixedStabilizer, R 420
- IsFLMLOR, R 612
- IsFLMLORWithOne, R 612
- IsFpGroup, R 458
- IsFpMonoid, R 542
- IsFpSemigroup, R 541
- IsFreeGroup, R 327
- IsFreeLeftModule, R 567
- IsFreeMagmaRing, R 654
- IsFreeMagmaRingWithOne, R 654
- IsFromFpGroupGeneralMappingByImages, R 390
- IsFromFpGroupHomomorphismByImages, R 390
- IsFromFpGroupStdGensGeneralMappingByImages, R 390
- IsFromFpGroupStdGensHomomorphismByImages, R 390
- IsFullHomModule, R 602
- IsFullMatrixModule, R 569
- IsFullRowModule, R 569
- IsFullSubgroupGLorSLRespectingBilinearForm, R 426
- IsFullSubgroupGLorSLRespectingQuadraticForm, R 427
- IsFullSubgroupGLorSLRespectingSesquilinearForm, R 426
- IsFullTransformationSemigroup, R 533
- IsFunc, T 78

- IsFunction, R 63
- IsGaussianIntegers, R 588
- IsGaussianRationals, R 583
- IsGaussianSpace, R 597
- IsGaussInt, R 158
- IsGaussRat, R 158
- IsGeneralizedDomain, R 287
- IsGeneralizedRowVector, R 181
- IsGeneralLinearGroup, R 425
- IsGeneralMapping, R 308
- IsGeneralMappingFamily, R 309
- IsGeneratorsOf *Struct*, R 284
- IsGL, R 425
- IsGreensClass, R 535
- IsGreensDClass, R 535
- IsGreensDRelation, R 534
- IsGreensHClass, R 535
- IsGreensHRelation, R 534
- IsGreensJClass, R 535
- IsGreensJRelation, R 534
- IsGreensLClass, R 535
- IsGreensLessThanOrEqual, R 535
- IsGreensLRelation, R 534
- IsGreensRClass, R 535
- IsGreensRelation, R 534
- IsGreensRRelation, R 534
- IsGroup, R 345
- IsGroupGeneralMapping, R 306
- IsGroupGeneralMappingByAsGroupGeneral-
MappingByImages, R 389
- IsGroupGeneralMappingByImages, R 389
- IsGroupGeneralMappingByPcgs, R 390
- IsGroupHClass, R 536
- IsGroupHomomorphism, R 306
- IsGroupOfAutomorphisms, R 386
- IsGroupRing, R 654
- IsHandledByNiceBasis, R 569
 - for vector spaces, R 603
- IsHandledByNiceMonomorphism, R 384
- IsHash, N 10
- IsHasseDiagram, R 311
- IsHomCoset, N 13
- IsHomCosetOfAdditiveElt, N 13
- IsHomCosetOfFp, N 13
- IsHomCosetOfMatrix, N 13
- IsHomCosetOfPerm, N 13
- IsHomCosetOfTuple, N 13
- IsHomCosetToAdditiveElt, N 13
- IsHomCosetToAdditiveEltRep, N 13
- IsHomCosetToFp, N 13
- IsHomCosetToFpRep, N 13
- IsHomCosetToMatrix, N 13
- IsHomCosetToMatrixRep, N 13
- IsHomCosetToObjectRep, N 13
- IsHomCosetToPerm, N 13
- IsHomCosetToPermRep, N 13
- IsHomCosetToTuple, N 13
- IsHomCosetToTupleRep, N 13
- IsHomogeneousList, R 171
- IsIdempotent, R 290
- IsIdenticalObj, R 111, T 24
- IsInChain, N 19
- IsIncomparableUnder, R 277
- IsInducedFromNormalSubgroup, R 815
- IsInducedPcgs, R 435
- IsInducedPcgsWrtSpecialPcgs, R 443
- IsInfBitsFamily, R 333
- IsInfinity, R 158
- IsInjective, R 301
- IsInnerAutomorphism, R 385
- IsInputOutputStream, R 104
- IsInputStream, R 97
- IsInputTextNone, R 97
- IsInputTextStream, R 97
- IsInt, R 126
- IsIntegerMatrixGroup, R 427
- IsIntegers, R 126
- IsIntegralBasis, R 595
- IsIntegralCyclotomic, R 156
- IsIntegralRing, R 559
- IsInternallyConsistent, R 115
 - for character tables, R 734
 - for tables of marks, R 702
- IsIrreducibleCharacter, R 765
- IsIrreducibleRingElement, R 561
- IsIterator, R 274
- IsJacobianElement, R 297
- IsJacobianElementCollColl, R 297
- IsJacobianElementCollection, R 297
- IsJacobianRing, R 560
- IsLaurentPolynomial, R 663
- IsLaurentPolynomialDefaultRep, R 679
- IsLDistributive, R 559
- IsLeftAlgebraModuleElement, R 624
- IsLeftAlgebraModuleElementCollection, R 624
- IsLeftIdeal, R 557

- IsLeftIdealInParent, R 557
- IsLeftModule, R 566
- IsLeftModuleGeneralMapping, R 307
- IsLeftModuleHomomorphism, R 307
- IsLeftOperatorAdditiveGroup, R 566
- IsLeftSemigroupIdeal, R 533
- IsLeftVectorSpace, R 589
- IsLessThanOrEqualUnder, R 277
- IsLessThanUnder, R 277
- IsLetterAssocWordRep, R 332
- IsLetterWordsFamily, R 332
- IsLexicographicallyLess, R 196
- IsLieAbelian, R 635
- IsLieAlgebra, R 612
- IsLieMatrix, R 219
- IsLieNilpotent, R 635
- IsLieObject, R 630
- IsLieObjectCollection, R 630
- IsLieSolvable, R 635
- IsLinearMapping, R 307
- IsLinearMappingsModule, R 602
- IsList, R 170
- IsListDefault, R 181
- IsListOrCollection, R 264
- IsLookupDictionary, N 9
- IsLowerAlphaChar, R 249
- IsLowerTriangularMat, R 222
- IsMagma, R 315
- IsMagmaHomomorphism, R 305
- IsMagmaRingModuloRelations, R 656
- IsMagmaRingModuloSpanOfZero, R 656
- IsMagmaWithInverses, R 315
- IsMagmaWithInversesIfNonzero, R 315
- IsMagmaWithOne, R 315
- IsMapping, R 301
- IsMat, T 78
- IsMatchingSublist, R 190
- IsMatrix, R 218
- IsMatrixGroup, R 424
- IsMatrixModule, R 569
- IsMatrixSpace, R 597
- IsMinimalNonmonomial, R 818
- IsModuloPcgs, R 437
- IsMonoid, R 538
- IsMonomial, for characters, R 815
 - for character tables, R 726
 - for groups, R 815
 - for positive integers, R 816
- IsMonomialGroup, R 361
- IsMonomialMatrix, R 222
- IsMonomialNumber, R 816
- IsMonomialOrdering, R 672
- IsMultiplicativeElement, R 295
- IsMultiplicativeElementWithInverse, R 296
- IsMultiplicativeElementWithOne, R 295
- IsMultiplicativeElementWithZero, R 295
- IsMultiplicativeGeneralizedRowVector, R 181
- IsMultiplicativeZero, R 319
- IsMutable, R 113
- IsMutableBasis, R 596
- IsNaturalAlternatingGroup, R 411
- IsNaturalGL, R 425
- IsNaturalGLnZ, R 427
- IsNaturalSL, R 426
- IsNaturalSLnZ, R 428
- IsNaturalSymmetricGroup, R 411
- IsNearAdditiveElement, R 295
- IsNearAdditiveElementWithInverse, R 295
- IsNearAdditiveElementWithZero, R 295
- IsNearAdditiveGroup, R 550
- IsNearAdditiveMagma, R 550
- IsNearAdditiveMagmaWithInverses, R 550
- IsNearAdditiveMagmaWithZero, R 550
- IsNearlyCharacterTable, R 719
- IsNearRingElement, R 296
- IsNearRingElementWithInverse, R 296
- IsNearRingElementWithOne, R 296
- IsNegRat, R 144
- IsNilpotent, for character tables, R 726
 - for groups with pcgs, R 445
- IsNilpotentElement, R 642
- IsNilpotentGroup, R 361
- IsNilpotentTom, R 702
- IsNonassocWord, R 322
- IsNonassocWordCollection, R 322
- IsNonassocWordWithOne, R 322
- IsNonassocWordWithOneCollection, R 322
- IsNonnegativeIntegers, R 126
- IsNonSPGeneralMapping, R 309
- IsNonTrivial, R 268
- IsNormal, R 346
- IsNormalBasis, R 595
- IsNotIdenticalObj, R 112
- IsNumberField, R 583
- IsObject, R 110
- IsOddInt, R 127

- isomorphic, pc group, R 452
- IsomorphicSubgroups, R 388
- IsomorphismFpAlgebra, R 621
- IsomorphismFpGroup, R 466
 - for subgroups of fp groups, R 469
- IsomorphismFpGroupByGenerators, R 467
- IsomorphismFpGroupByGeneratorsNC, R 467
- IsomorphismFpGroupByPcgs, R 449
- IsomorphismFpSemigroup, R 542
- IsomorphismGroups, R 387
- IsomorphismMatrixAlgebra, R 621
- IsomorphismPcGroup, R 452
- IsomorphismPermGroup, R 410
 - for Imf matrix groups, R 529
- IsomorphismPermGroupImfGroup, R 530
- IsomorphismReesMatrixSemigroup, R 537
- IsomorphismRefinedPcGroup, R 451
- IsomorphismRepStruct, R 285
- isomorphisms, find all, R 388
- IsomorphismSCAlgebra, R 622
- IsomorphismSimplifiedFpGroup, R 469
- IsomorphismSpecialPcGroup, R 452
- Isomorphisms vs. Isomorphic Structures, *T* 84
- IsomorphismTransformationSemigroup, R 533
- IsomorphismTypeInfoOfFiniteSimpleGroup, R 361
- IsOne, R 290
- IsOperation, R 63
- IsOrdering, R 276
- IsOrderingOnFamilyOfAssocWords, R 277
- IsOrdinaryMatrix, R 218
- IsOrdinaryTable, R 719
- IsOutputStream, R 97
- IsOutputTextNone, R 98
- IsOutputTextStream, R 97
- IsPadicExtensionNumber, R 685
- IsPadicExtensionNumberFamily, R 685
- IsParentPcgsFamilyPcgs, R 447
- IsPartialOrderBinaryRelation, R 311
- IsPcGroup, R 448
- IsPcGroupGeneralMappingByImages, R 390
- IsPcGroupHomomorphismByImages, R 390
- IsPcgs, R 431
- IsPcgsCentralSeries, R 439
- IsPcgsChiefSeries, R 440
- IsPcgsElementaryAbelianSeries, R 439
- IsPcgsPCentralSeriesPGroup, R 440
- IsPerfect, for character tables, R 726
- IsPerfectGroup, R 361
- IsPerfectTom, R 702
- IsPerm, R 406
- IsPermCollColl, R 406
- IsPermCollection, R 406
- IsPermGroup, R 410
- IsPermGroupGeneralMappingByImages, R 390
- IsPermGroupHomomorphismByImages, R 390
- IsPGroup, R 362
- IsPNilpotent, R 363
- IsPolycyclicGroup, R 361
- IsPolynomial, R 663
- IsPolynomialDefaultRep, R 679
- IsPolynomialFunction, R 662
- IsPolynomialFunctionsFamily, R 677
- IsPolynomialRing, R 671
- IsPosInt, R 126
- IsPositiveIntegers, R 126
- IsPosRat, R 143
- IsPreimagesByAsGroupGeneralMappingByImages, R 390
- IsPreOrderBinaryRelation, R 311
- IsPrime, R 561
- IsPrimeField, R 572
- IsPrimeInt, R 131
- IsPrimeOrdersPcgs, R 432
- IsPrimePowerInt, R 132
- IsPrimitive, R 401
- IsPrimitiveCharacter, R 814
- IsPrimitivePolynomial, R 664
- IsPrimitiveRootMod, R 138
- IsProbablyPrimeInt, R 131
- IsPseudoCanonicalBasisFullHomModule, R 602
- IsPSolvable, R 363
- IsPSolvableCharacterTable, R 735
- IsPSolvableCharacterTableOp, R 735
- IsPurePadicNumber, R 684
- IsPurePadicNumberFamily, R 684
- IsQuasiPrimitive, R 814
- IsQuaternion, R 613
- IsQuaternionCollColl, R 613
- IsQuaternionCollection, R 613
- IsQuickPositionList, R 205
- IsQuotientSemigroup, R 534
- IsRange, R 204
- IsRat, R 143
- IsRationalFunction, R 662
- IsRationalFunctionDefaultRep, R 678
- IsRationalFunctionsFamily, R 677

- IsRationalMatrixGroup, R 427
- IsRationals, R 143
- IsRationalsPolynomialRing, R 672
- IsRDistributive, R 560
- IsReadableFile, R 93
- IsReadOnlyGlobal, R 44
- IsRec, T 78
- IsRecord, R 257
- IsRecordCollColl, R 257
- IsRecordCollection, R 257
- IsReduced, R 340
- IsReductionOrdering, R 278
- IsReesCongruence, R 534
- IsReesCongruenceSemigroup, R 532
- IsReesMatrixSemigroup, R 536
- IsReesMatrixSemigroupElement, R 536
- IsReesZeroMatrixSemigroup, R 536
- IsReesZeroMatrixSemigroupElement, R 536
- IsReflexiveBinaryRelation, R 310
- IsRegular, R 401
- IsRegularDClass, R 536
- IsRegularSemigroup, R 532
- IsRegularSemigroupElement, R 532
- IsRelativelySM, R 817
- IsRestrictedLieAlgebra, R 640
- IsRewritingSystem, R 339
- IsRightAlgebraModuleElement, R 624
- IsRightAlgebraModuleElementCollection, R 624
- IsRightCoset, R 352
- IsRightIdeal, R 557
- IsRightIdealInParent, R 557
- IsRightModule, R 566
- IsRightOperatorAdditiveGroup, R 566
- IsRightSemigroupIdeal, R 533
- IsRing, R 554
- IsRingElement, R 296
- IsRingElementWithInverse, R 296
- IsRingElementWithOne, R 296
- IsRingGeneralMapping, R 308
- IsRingHomomorphism, R 308
- IsRingWithOne, R 558
- IsRingWithOneGeneralMapping, R 308
- IsRingWithOneHomomorphism, R 308
- IsRootSystem, R 636
- IsRootSystemFromLieAlgebra, R 637
- IsRowModule, R 569
- IsRowSpace, R 597
- IsRowVector, R 210
- IsScalar, R 296
- IsSemiEchelonized, R 598
- IsSemigroup, R 531
- IsSemigroupCongruence, R 533
- IsSemigroupIdeal, R 533
- IsSemiRegular, R 401
- IsSet, R 191, T 78
- IsShortLexLessThanOrEqual, R 329
- IsShortLexOrdering, R 279
- IsSimple, for character tables, R 726
- IsSimpleAlgebra, R 612
- IsSimpleGroup, R 361
- IsSimpleSemigroup, R 532
- IsSingleValued, R 301
- IsSL, R 425
- IsSolvable, for character tables, R 726
- IsSolvableGroup, R 361
- IsSolvableTom, R 702
- IsSortedList, R 190
- IsSpecialLinearGroup, R 425
- IsSpecialPcgs, R 442
- IsSPGeneralMapping, R 309
- IsSporadicSimple, for character tables, R 726
- IsSSortedList, R 191
- IsStandardGeneratorsOfGroup, R 708
- IsStraightLineProgElm, R 338
- IsStraightLineProgram, R 334
- IsStream, R 97
- IsString, R 245
- IsStringRep, R 248
- IsStruct, R 285
- IsSubgroup, R 346
- IsSubgroupFpGroup, R 458
- IsSubgroupOfWholeGroupByQuotientRep, R 470
- IsSubgroupSL, R 426
- IsSubmonoidFpMonoid, R 541
- IsSubnormal, R 347
- IsSubnormallyMonomial, R 817
- IsSubsemigroupFpSemigroup, R 541
- IsSubset, R 270
- IsSubsetBlist, R 207
- IsSubsetLocallyFiniteGroup, R 362
- IsSubsetSet, R 193
- IsSubspacesVectorSpace, R 590
- IsSubstruct, R 287
- IsSupersolvable, for character tables, R 726
 - for groups with pcgs, R 445
- IsSupersolvableGroup, R 361

- IsSurjective, R 302
 - IsSyllableAssocWordRep, R 333
 - IsSyllableWordsFamily, R 333
 - IsSymmetricBinaryRelation, R 310
 - IsSymmetricGroup, R 412
 - IsTable, R 171
 - IsTableOfMarks, R 698
 - IsTableOfMarksWithGens, R 709
 - IsToPcGroupGeneralMappingByImages, R 390
 - IsToPcGroupHomomorphismByImages, R 390
 - IsToPermGroupGeneralMappingByImages, R 390
 - IsToPermGroupHomomorphismByImages, R 390
 - IsTotal, R 301
 - IsTotalOrdering, R 277
 - IsTransformation, R 547
 - IsTransformationCollection, R 547
 - IsTransformationMonoid, R 533
 - IsTransformationSemigroup, R 533
 - IsTransitive, for characters, R 768
 - for class functions, R 768
 - for group actions, R 400
 - IsTransitiveBinaryRelation, R 310
 - IsTranslationInvariantOrdering, R 277
 - IsTrivial, R 268
 - IsTuple, R 299
 - IsTwoSidedIdeal, R 557
 - IsTwoSidedIdealInParent, R 557
 - IsUEALatticeElement, R 648
 - IsUEALatticeElementCollection, R 648
 - IsUEALatticeElementFamily, R 648
 - IsUniqueFactorizationRing, R 559
 - IsUnit, R 560
 - IsUnivariatePolynomial, R 663
 - IsUnivariatePolynomialRing, R 672
 - IsUnivariateRationalFunction, R 663
 - IsUnknown, R 165
 - IsUpperAlphaChar, R 249
 - IsUpperTriangularMat, R 222
 - IsValidIdentifier, R 42
 - IsVector, R 296
 - IsVectorSpace, R 589
 - IsVirtualCharacter, R 765
 - IsWeightLexOrdering, R 280
 - IsWeightRepElement, R 649
 - IsWeightRepElementCollection, R 649
 - IsWeightRepElementFamily, R 649
 - IsWellFoundedOrdering, R 276
 - IsWeylGroup, R 638
 - IsWholeFamily, R 269
 - IsWLetterAssocWordRep, R 332
 - IsWLetterWordsFamily, R 332
 - IsWord, R 321
 - IsWordCollection, R 322
 - IsWordWithInverse, R 321
 - IsWordWithOne, R 321
 - IsWreathProductOrdering, R 281
 - IsWritableFile, R 93
 - IsZero, R 290
 - IsZeroGroup, R 532
 - IsZeroSimpleSemigroup, R 532
 - IsZeroSquaredElement, R 297
 - IsZeroSquaredElementCollColl, R 297
 - IsZeroSquaredElementCollection, R 297
 - IsZeroSquaredRing, R 560
 - IsZmodnZObj, R 134
 - IsZmodnZObjNonprime, R 134
 - IsZmodpZObj, R 134
 - IsZmodpZObjLarge, R 134
 - IsZmodpZObjSmall, R 134
 - Iterated, R 201
 - Iterator, R 273
 - IteratorByBasis, R 594
 - IteratorByFunctions, R 275
 - IteratorList, R 274
 - Iterators, *R 273*
 - IteratorSorted, R 274
- J**
- j_N , R 160
 - Jacobi, R 138
 - JenningsLieAlgebra, R 641
 - JenningsSeries, R 366
 - JoinEquivalenceRelations, R 313
 - JoinStringsWithSeparator, R 251
 - JordanDecomposition, R 230
- K**
- k_N , R 160
 - KappaPerp, R 642
 - KB_REW, R 545
 - kernel, T 55
 - KernelOfAdditiveGeneralMapping, R 307
 - KernelOfCharacter, R 767
 - KernelOfMultiplicativeGeneralMapping, R 306
 - KernelOfTransformation, R 548
 - KeyDependentOperation, E 46
 - Key Dependent Operations, *E 46*

- Keywords, *R 41*
- KillingMatrix, *R 642*
- KnownAttributesOfObject, *R 121, T 75*
- Known Problems of the Configure Process, *R 826*
- KnownPropertiesOfObject, *R 124, T 75*
- KnownTruePropertiesOfObject, *R 124, T 75*
- KnowsDictionary, *N 9*
- KnowsHowToDecompose, *R 378*
- KnuthBendixRewritingSystem, *R 545*
- Krasner-Kaloujnine theorem, *R 502*
- KroneckerProduct, *R 224*
- KuKGenerators, *R 502*
- L**
- l_N , *R 160*
- Labels and References, *E 15*
- Lambda, *R 136*
- Language Overview, *R 39*
- larger or equal, *R 47*
- larger test, *R 47*
- LargestElementGroup, *R 374*
- LargestElementStabChain, *R 419*
- LargestMovedPoint, *R 407*
- LargestUnknown, *R 165*
- last, *R 64, T 23*
- last2, *T 23*
- last3, *T 23*
- LastSystemError, *R 90*
- LaTeXStringDecompositionMatrix, *R 733*
- lattice base reduction, *R 241*
- lattice basis reduction, for virtual characters, *R 772*
- LatticeByCyclicExtension, *R 371*
- LatticeGeneratorsInUEA, *R 648*
- Lattice Reduction, *R 241*
- LatticeSubgroups, *R 369*
- LatticeSubgroupsByTom, *R 695*
- LaurentPolynomialByCoefficients, *R 669*
- LaurentPolynomialByExtRep, *R 680*
- Laurent Polynomials, *R 669*
- LClassOfHClass, *R 535*
- Lcm, *R 564*
- LcmInt, *R 130*
- LcmOp, *R 564*
- LeadCoeffsIGS, *R 436*
- LeadingCoefficient, *R 665*
- LeadingCoefficientOfPolynomial, *R 673*
- LeadingExponentOfPcElement, *R 433*
- LeadingMonomial, *R 665*
- LeadingMonomialOfPolynomial, *R 673*
- LeadingTermOfPolynomial, *R 673*
- Leaving GAP, *R 72*
- leaving GAP, *T 18*
- LeftActingAlgebra, *R 625*
- LeftActingDomain, *R 567*
- LeftActingRingOfIdeal, *R 558*
- LeftAlgebraModule, *R 623*
- LeftAlgebraModuleByGenerators, *R 622*
- left cosets, *R 352*
- LeftDerivations, *R 632*
- LeftIdeal, *R 556*
- LeftIdealByGenerators, *R 557*
- LeftIdealNC, *R 557*
- LeftModuleByGenerators, *R 567*
- LeftModuleByHomomorphismToMatAlg, *R 626*
- LeftModuleGeneralMappingByImages, *R 600*
- LeftModuleHomomorphismByImages, *R 600*
- LeftModuleHomomorphismByImagesNC, *R 600*
- LeftModuleHomomorphismByMatrix, *R 601*
- LeftQuotient, *R 292*
 - for words, *R 329*
- LeftShiftRowVector, *R 214*
- legacy, *R 838*
- Legendre, *R 139*
- Length, *R 191*
 - of an associative word, *R 330*
- length, of a word, *R 330*
- LengthsTom, *R 699*
- LengthWord, *T 78*
- LengthWPObj, *E 52*
- LenstraBase, *R 586*
- LessThanFunction, *R 277*
- LessThanOrEqualFunction, *R 277*
- LetterRepAssocWord, *R 333*
- LevelsOfGenerators, *R 281*
- LeviMalcevDecomposition, *R 618*
 - for Lie algebras, *R 636*
- Lexical Structure, *R 40*
- LexicographicOrdering, *R 278*
- LGFirst, *R 443*
- LGLayers, *R 442*
- LGLength, *R 443*
- LGWeights, *R 442*
- library tables, *R 717*
- LieAlgebra, *R 631*
- LieAlgebraByStructureConstants, *R 631*
- LieBracket, *R 292*

- LieCenter, R 633
- LieCentralizer, R 633
- LieCentre, R 633
- LieCoboundaryOperator, R 646
- LieDerivedSeries, R 634
- LieDerivedSubalgebra, R 633
- LieFamily, R 630
- LieLowerCentralSeries, R 634
- LieNilRadical, R 634
- LieNormalizer, R 633
- LieObject, R 630
- Lie objects, *R 630*
- LieSolvableRadical, R 634
- LieUpperCentralSeries, R 635
- LiftedInducedPcgs, R 438
- LiftedPcElement, R 438
- LinearAction, R 444
- LinearActionLayer, R 444
- LinearCharacters, R 725
- LinearCombination, R 594
- LinearCombinationPcgs, R 433
- Linear equations over the integers and Integral Matrices, *R 236*
- LinearIndependentColumns, R 240
- Linear Mappings, *R 307*
- LinearOperation, R 444
- LinearOperationLayer, R 444
- Line Editing, *R 73*
- line editing, T 20
- LinesOfStraightLineProgram, R 335
- List, R 198
- list and non-list, difference, R 183
 - left quotient, R 186
 - mod, R 185
 - product, R 184
 - quotient, R 185
- List Assignment, *R 173*
- list assignment, operation, R 172
- ListBlist, R 206
- list boundedness test, operation, R 172
- List Categories, *R 170*
- list element, access, R 172
 - assignment, R 173
 - operation, R 172
- List Elements, *R 172*
- list environment, compact description, E 20
 - description, E 20
 - ordered, E 21
 - unordered, E 21
- list equal, comparison, R 179
- ListN, R 201
- list of available books, R 23
- List Operations, *T 35*
- ListPerm, R 408
- lists, dense, T 28
 - strictly sorted, T 31
- lists, identical, *T 29*
 - plain, *T 27*
- Lists and Collections, *R 264*
- list smaller, comparison, R 180
- ListStabChain, R 419
- list unbind, operation, R 172
- ListWithIdenticalEntries, R 187
- ListX, R 202
- LLL, R 772
- LLL algorithm, for Gram matrices, R 242
 - for vectors, R 241
 - for virtual characters, R 772
- LLLReducedBasis, R 241
- LLLReducedGramMat, R 242
- LoadDynamicModule, R 35
- Loading a GAP Package, *R 834*
- loading a saved workspace, R 37
- loading source code from a file, T 19
- LoadPackage, R 834
- local, R 55
- Local Variables, *T 41*
- logarithm, discrete, R 137
 - of a root of unity, R 158
- LogFFE, R 578
- logical, R 167
- Logical Implications, *P 14*
- logical operations, R 168
- LogInt, R 128
- LogMod, R 137
- LogModShanks, R 137
- LogTo, R 95
 - for streams, R 102
 - stop logging, R 95
- LongestWeylWordPerm, R 639
- LookupDictionary, N 9
- loop, read eval print, R 64
- loop, for, R 52
 - repeat, R 52
 - while, R 51
- loop over iterator, R 54

- loop over object, R 54
- loop over range, R 53
- loops, leaving, R 54
 - restarting, R 55
- loops, for, *T 33*
 - while, *T 33*
- LowerCaseString, R 250
- LowerCentralSeriesOfGroup, R 365
- Low Index Subgroups, *R 465*
- LowIndexSubgroupsFpGroup, R 465
- Low Level Access Functions for Weak Pointer
 - Objects, *E 52*
- Low Level Routines to Modify and Create Stabilizer
 - Chains, *R 419*
- Lucas, R 153
- M**
- m_N , R 160
- Macintosh, R 828
- MacOS, R 829
- Magma, R 315
- MagmaByGenerators, R 316
- MagmaByMultiplicationTable, R 317
- Magma Categories, *R 315*
- MagmaElement, R 317
- Magma Generation, *R 315*
- MagmaHomomorphismByFunctionNC, R 305
- Magma Homomorphisms, *R 305*
- MagmaRingModuloSpanOfZero, R 656
- Magma Rings modulo Relations, *R 656*
- Magma Rings modulo the Span of a Zero Element, *R 656*
- Magnas Defined by Multiplication Tables, *R 317*
- MagmaWithInverses, R 316
- MagmaWithInversesByGenerators, R 316
- MagmaWithInversesByMultiplicationTable, R 317
- MagmaWithOne, R 315
- MagmaWithOneByGenerators, R 316
- MagmaWithOneByMultiplicationTable, R 317
- Main Loop, *R 64*
- MakeConfluent, R 340
- MakeHomChain, N 21
- MakeImmutable, R 113
- makeindex, E 26
- MakeReadOnlyGlobal, R 44
- MakeReadWriteGlobal, R 44
- Making transformation semigroups, *R 533*
- manual.bbl, E 26
- manual.bib, E 26
- manual.dvi, E 26
- manual.lab, E 26
- manual.mst, E 26
- manual.six, E 26
- manual.tex, E 26
- Manual Conventions, *R 20*
- manualindex, E 26
- map, parametrized, R 799
- MappedWord, R 323
- MappingByFunction, R 299
- MappingPermListList, R 409
- Mappings that Respect Addition, *R 306*
- Mappings that Respect Multiplication, *R 305*
- Mappings which are Compatible with Algebraic Structures, *R 305*
- maps, R 790
- maps-to operator, T 25
- MarksTom, R 698
- MatAlgebra, R 609
- MatClassMultCoeffsCharTable, R 737
- mathematics alignments, E 23
- mathematics displays, E 23
- MathieuGroup, R 505
- MatLieAlgebra, R 632
- matrices, T 36
 - commutator, R 220
- Matrices as Basis of a Row Space, *R 228*
- Matrices as Linear Mappings, *R 230*
- Matrices over Finite Fields, *R 231*
- Matrices Representing Linear Equations and the Gaussian Algorithm, *R 225*
- MatrixAlgebra, R 609
- MatrixAutomorphisms, R 751
- matrix automorphisms, R 793
- MatrixByBlockMatrix, R 235
- Matrix Constructions, *R 222*
- Matrix Groups in Characteristic 0, *R 427*
- MatrixLieAlgebra, R 632
- MatrixOfAction, R 625
- matrix spaces, R 597
- MatScalarProducts, R 766
- MatTom, R 701
- MaximalAbelianQuotient, R 367
- MaximalBlocks, R 402
- MaximalNormalSubgroups, R 369
- MaximalSubgroupClassReps, R 368

- MaximalSubgroups, R 368
 - for groups with pcgs, R 445
- MaximalSubgroupsLattice, R 369
- MaximalSubgroupsTom, R 705
- Maximum, R 197
- MaximumList, R 197
- MeatAxe Modules, *R 687*
- MeetEquivalenceRelations, R 313
- MeetMaps, R 802
- MeetPartitionStrat, E 59
- meet strategy, E 59
- Membership Test for Collections, *R 271*
- Membership Test for Lists, *R 179*
- method, P 11
- Method Installation, *P 11*
- methods, T 72
 - immediate, T 74
 - selection, T 73
 - true, T 74
- MinimalElementCosetStabChain, R 419
- MinimalGeneratingSet, R 374
 - for groups with pcgs, R 445
- MinimalNonmonomialGroup, R 818
- Minimal Nonmonomial Groups, *R 818*
- MinimalNormalSubgroups, R 369
- MinimalPolynomial, R 667
 - over a field, R 573
 - over a ring, R 667
- Minimal Polynomials, *R 667*
- MinimalStabChain, R 417
- MinimalSupergroupsLattice, R 370
- MinimalSupergroupsTom, R 706
- MinimizedBombieriNorm, R 669
- Minimum, R 197
- MinimumList, R 197
- MinusCharacter, R 808
- Miscellaneous, *R 142*
- Miscellaneous Name Changes or Removed Names, *R 839*
- mod, integers, R 134
 - laurent polynomials, R 661
 - lists, R 185
 - rationals, R 48
- mod, R 48
 - arithmetic operators, R 48
 - for character tables, R 723
 - residue class rings, R 133
- modular inverse, R 48
- modular remainder, R 48
- modular roots, R 140
- ModuleByRestriction, R 627
- Module Constructions, *R 687*
- Module Homomorphisms, *R 689*
- ModuleOfExtension, R 453
- Modules over Lie Algebras and Their Cohomology, *R 645*
- Modules over Semisimple Lie Algebras, *R 647*
- modulo, R 48
 - arithmetic operators, R 48
 - for pcgs, R 437
 - residue class rings, R 133
- ModuloPcgs, R 437
- MoebiusMu, R 141
- MoebiusTom, R 701
- Molien Series, *R 779*
- MolienSeries, R 779
- MolienSeriesInfo, R 780
- MolienSeriesWithGivenDenominator, R 781
- Monoid, R 538
- MonoidByGenerators, R 538
- MonoidByMultiplicationTable, R 539
- MonoidOfRewritingSystem, R 546
- MonomialComparisonFunction, R 673
- MonomialExtGrlxLess, R 675
- MonomialExtrepComparisonFun, R 673
- MonomialGrevlexOrdering, R 674
- MonomialGrlxOrdering, R 674
- MonomialLexOrdering, R 674
- Monomial Orderings, *R 672*
- MonomialTotalDegreeLess, R 839
- monomorphisms, find all, R 388
- MorClassLoop, R 388
- More about Boolean Lists, *R 208*
- More About Global Variables, *R 44*
- More about Tables of Marks, *R 693*
- MostFrequentGeneratorFpGroup, R 464
- MovedPoints, R 407
- Moved Points of Permutations, *R 407*
- MTX.BasesCompositionSeries, R 689
- MTX.BasesMaximalSubmodules, R 688
- MTX.BasesMinimalSubmodules, R 688
- MTX.BasesMinimalSupermodules, R 689
- MTX.BasesSubmodules, R 688
- MTX.BasisInOrbit, R 690
- MTX.BasisRadical, R 688
- MTX.BasisSocle, R 688

- MTX.CollectedFactors, R 689
 - MTX.CompositionFactors, R 689
 - MTX.DegreeSplittingField, R 688
 - MTX.Dimension, R 688
 - MTX.Distinguish, R 690
 - MTX.Field, R 688
 - MTX.Generators, R 688
 - MTX.Homomorphism, R 690
 - MTX.Homomorphisms, R 690
 - MTX.InducedAction, R 689
 - MTX.InducedActionFactorMatrix, R 689
 - MTX.InducedActionFactorModule, R 689
 - MTX.InducedActionMatrix, R 689
 - MTX.InducedActionMatrixNB, R 689
 - MTX.InducedActionSubmodule, R 689
 - MTX.InducedActionSubmoduleNB, R 689
 - MTX.InvariantBilinearForm, R 690
 - MTX.InvariantQuadraticForm, R 690
 - MTX.InvariantSesquilinearForm, R 690
 - MTX.IsAbsolutelyIrreducible, R 688
 - MTX.IsEquivalent, R 689
 - MTX.IsIrreducible, R 688
 - MTX.Isomorphism, R 690
 - MTX.NormedBasisAndBaseChange, R 689
 - MTX.OrthogonalSign, R 690
 - MTX.ProperSubmoduleBasis, R 688
 - MTX.SubGModule, R 688
 - MTX.SubmoduleGModule, R 688
 - multiplication, R 48
 - matrices, R 220
 - matrix and matrix list, R 221
 - matrix and scalar, R 219
 - matrix and vector, R 220
 - operation, R 292
 - scalar and matrix, R 219
 - scalar and matrix list, R 220
 - scalar and vector, R 211
 - vector and matrix, R 219
 - vector and matrix list, R 221
 - vector and scalar, R 211
 - vectors, R 211
 - MultiplicationTable, R 317
 - Multiplicative Arithmetic for Lists, *R 184*
 - Multiplicative Arithmetic Functions, *R 140*
 - MultiplicativeNeutralElement, R 319
 - multiplicative order of an integer, R 137
 - MultiplicativeZero, R 319
 - MultiplicativeZeroOp, R 289
 - multiplicity, of constituents of a group character, R 766
 - multiplier, R 377
 - multisets, R 192
 - Multivariate Polynomials, *R 666*
 - MultRowVector, R 214
 - Murnaghan components, R 778
 - Mutability and Copyability, *R 112*
 - Mutability and Copying, *P 29*
 - Mutability Status and List Arithmetic, *R 186*
 - Mutable Bases, *R 595*
 - MutableBasis, R 596
 - MutableBasisOfClosureUnderAction, R 615
 - MutableBasisOfIdealInNonassociativeAlgebra, R 616
 - MutableBasisOfNonassociativeAlgebra, R 616
 - MutableIdentityMat, R 224
 - MutableNullMat, R 224
- ## N
- n_k , R 160
 - Name, R 115
 - NameFunction, R 61
 - NameRNam, R 262
 - NamesFilter, R 118
 - NamesGVars, R 45
 - NamesLocalVariablesFunction, R 61
 - NamesOfComponents, *P 21*
 - NamesOfFusionSources, R 797
 - NamesSystemGVars, R 45
 - NamesUserGVars, R 45
 - Naming Conventions, *T 79*
 - NaturalCharacter, R 764
 - Natural Embeddings related to Magma Rings, *R 655*
 - NaturalHomomorphismByGenerators, R 305
 - NaturalHomomorphismByIdeal, R 620
 - NaturalHomomorphismByNormalSubgroup, R 366
 - NaturalHomomorphismByNormalSubgroupNC, R 366
 - NaturalHomomorphismBySubAlgebraModule, R 627
 - NaturalHomomorphismBySubspace, R 601
 - NearAdditiveGroup, R 551
 - NearAdditiveGroupByGenerators, R 551
 - NearAdditiveMagma, R 551
 - NearAdditiveMagmaByGenerators, R 551
 - NearAdditiveMagmaWithZero, R 551
 - NearAdditiveMagmaWithZeroByGenerators, R 551
 - NearlyCharacterTablesFamily, R 721
 - negative number, R 48

- NegativeRoots, R 637
- NegativeRootVectors, R 637
- NestingDepthA, R 182
- NestingDepthM, R 182
- New Arithmetic Operations vs. New Objects, *P 63*
- NewAttribute, P 17
 - example, P 37
 - mutable, P 17
- NewCategory, P 16
- NewDictionary, N 9
- NewFamily, P 19
- NewFilter, P 18
- NewInfoClass, R 79
- newline, R 40
- newline character, R 247
- NewmanInfinityCriterion, R 474
- NewOperation, P 18
- New Presentations and Presentations for Subgroups, *R 469*
- NewProperty, P 17
- NewRepresentation, P 16
 - example, P 37
- NewType, P 20
- NextIterator, R 274
- NextPrimeInt, R 132
- NF, R 582
- NiceBasis, R 603
- NiceBasisFiltersInfo, R 604
- NiceFreeLeftModule, R 602
- NiceFreeLeftModuleInfo, R 603
- NiceMonomorphism, R 384
- NiceMonomorphismAutomGroup, R 387
- Nice Monomorphisms, *R 383, T 56*
- NiceObject, R 384
- NiceVector, R 602
- NilpotencyClassOfGroup, R 361
- NilpotentQuotientOfFpLieAlgebra, R 644
- NK, R 160
- NOAUTO, R 835
- NOfCyc, T 78
- NonnegativeIntegers, R 126
- NonnegIntScalarProducts, R 805
- NonNilpotentElement, R 642
- Norm, R 573
 - of character, R 766
- NormalBase, R 574
- NormalClosure, R 356
- NormalFormIntMat, R 239
- Normal Forms of Integer Matrices - Name Changes, *R 838*
- Normal Forms over the Integers, *R 237*
- NormalIntersection, R 357
- NormalizedElementOfMagmaRingModuloRelations, R 656
- NormalizedWhitespace, R 251
- Normalizer, R 356
- normalizer, R 356
- NormalizerInGLnZ, R 428
- NormalizerInGLnZBravaisGroup, R 428
- NormalizersTom, R 703
- NormalizerTom, R 703
- NormalizeWhitespace, R 251
- NormalSeriesByPcgs, R 441
- Normal Structure, *R 356*
- NormalSubgroupClasses, R 754
- NormalSubgroupClassesInfo, R 753
- NormalSubgroups, R 369
- NormedRowVector, R 212
- NormedRowVectors, R 599
- NormedVectors, R 839
- not, R 169
- Notions of Generation, *T 69*
- NrArrangements, R 147
- NrBasisVectors, R 596
- NrCombinations, R 147
- NrConjugacyClasses, R 355
 - for character tables, R 726
- NrConjugacyClassesGL, R 509
- NrConjugacyClassesGU, R 509
- NrConjugacyClassesPGL, R 509
- NrConjugacyClassesPGU, R 509
- NrConjugacyClassesPSL, R 509
- NrConjugacyClassesPSU, R 509
- NrConjugacyClassesSL, R 509
- NrConjugacyClassesSLIsogeneous, R 509
- NrConjugacyClassesSU, R 509
- NrConjugacyClassesSUIsogeneous, R 509
- NrDerangements, R 150
- NrInputsOfStraightLineProgram, R 335
- NrMovedPoints, R 407
- NrOrderedPartitions, R 151
- NrPartitions, R 151
- NrPartitionsSet, R 150
- NrPartitionTuples, R 153
- NrPermutationsList, R 149
- NrPolyhedralSubgroups, R 736

- NrPrimitiveGroups, R 520
- NrRestrictedPartitions, R 152
- NrSubsTom, R 699
- NrTransitiveGroups, R 511
- NrTuples, R 149
- NrUnorderedTuples, R 148
- NullAlgebra, R 609
- NullMat, R 222
- NullspaceIntMat, R 236
- NullspaceMat, R 225
- NullspaceMatDestructive, R 225
- NullspaceModQ, R 234
- Number, R 199
- number, Bell, R 146
 - binomial, R 145
 - Stirling, of the first kind, R 146
 - Stirling, of the second kind, R 147
- NumberArgumentsFunction, R 61
- NumberFFVector, R 213
- number field, R 583
- number fields, Galois group, R 586
- NumberIrreducibleSolvableGroups, R 522
- NumberPerfectGroups, R 516
- NumberPerfectLibraryGroups, R 516
- NumberSmallGroups, R 513
- NumberSyllables, R 331
- Numerator, T 78
- numerator, of a rational, R 144
- NumeratorOfModuloPcgs, R 437
- NumeratorOfRationalFunction, R 662
- NumeratorRat, R 144
- Numerical Group Attributes, *R 363*
- O**
- O, Operation mark-up, E 16
- $O_p(G)$, see PCore, R 356
- ObjByExtRep, P 29, R 649
- Objectify, P 20
- ObjectifyWithAttributes, P 20
- Objects, *R 110*
- objects, T 22
- objects, vs. elements, *T 24*
 - vs. variables, *T 22*
- obsolete, R 838
- OCOneCocycles, R 376
- octal character codes, R 247
- OctaveAlgebra, R 609
- od, R 52
- OldGeneratorsOfPresentation, R 491
- Omega, R 360
- ONanScottType, R 412
- OnBreak, R 68
- OnBreakMessage, R 69
- One, N 17, R 288
- OneAttr, R 288
- OneCoboundaries, R 375
- OneCocycles, R 374
- one cohomology, R 374
- OneFactorBound, R 669
- OneImmutable, R 288
- OneIrreducibleSolvableGroup, R 522
- OneLibraryGroup, R 511
- OneMutable, R 288
- OneOfPcgs, R 432
- OneOp, R 288
- OnePrimitiveGroup, R 511
- OneSameMutability, R 288
- OneSM, R 288
- OneSmallGroup, R 513
- OneTransitiveGroup, R 511
- OnIndeterminates, R 667
 - as a permutation action, R 393
- OnLeftInverse, R 392
- OnLines, R 393
 - example, R 506
- OnPairs, R 392
- OnPoints, R 392
- OnRight, R 392
- OnSets, R 392
- OnSetsDisjointSets, R 392
- OnSetsSets, R 392
- OnSetsTuples, R 392
- OnSubspacesByCanonicalBasis, R 394
- OnTuples, R 392
- OnTuplesSets, R 392
- OnTuplesTuples, R 393
- Operation, R 838
- operation, P 11
- OperationAlgebraHomomorphism, R 621
- Operational Structure of Domains, *R 282*
- Operation Functions, *E 48*
- OperationHomomorphism, R 838
- operations, T 75
 - for booleans, R 168
- Operations and Attributes for Vector Spaces, *R 590*
- Operations and Mathematical Terms, *P 14*

- Operations and Methods, *P 11*
- Operations applicable to All Streams, *R 98*
- Operations Concerning Blocks, *R 731*
- Operations for (Near-)Additive Magmas, *R 552*
- Operations for Abelian Number Fields, *R 583*
- operations for algebraic elements, *R 682*
- Operations for Associative Words, *R 329*
- Operations for Associative Words by their Syllables, *R 331*
- Operations for Booleans, *R 168*
- Operations for Brauer Characters, *R 787*
- Operations for Class Functions, *R 765*
- Operations for Collections, *R 270*
- Operations for Cyclotomics, *R 155*
- Operations for Domains, *R 287*
- Operations for Finite Field Elements, *R 577*
- Operations for Finitely Presented Groups, *R 460*
- Operations for Group Homomorphisms, *R 381*
- Operations for Input Streams, *R 98*
- Operations for Lists, *R 194*
- Operations for Output Streams, *R 101*
- Operations for Pc Groups, *R 452*
- Operations for Rational Functions, *R 661*
- Operations for Special Kinds of Bases, *R 595*
- Operations for Stabilizer Chains, *R 418*
- Operations for Vector Space Bases, *R 593*
- Operations for Words, *R 323*
- Operations on elements of the algebra, *R 340*
- Operations on hom cosets, *N 14*
- Operations on rewriting systems, *R 339*
- Operations Records, *T 81*
- Operations to Evaluate Strings, *R 253*
- Operations to Produce or Manipulate Strings, *R 250*
- Operations vs. Dispatcher Functions, *T 82*
- Operations which have Special Methods for Groups with Pcgs, *R 445*
- operators, *R 42*, *T 20*
 - arithmetic, *R 48*
 - associativity, *R 49*
 - for cyclotomics, *R 159*
 - for lists, *R 180*
 - precedence, *R 49*
- Operators for Character Tables, *R 723*
- Operators for Matrices, *R 219*
- Operators for Row Vectors, *R 210*
- Optimization and Compiler Options, *R 827*
- options, *R 819*
 - command line, filenames, *R 29*
 - command line, internal, *R 30*
- options, under UNIX, *R 27*
- or, *R 168*
- Orbit, *R 394*, *T 77*
- OrbitFusions, *R 798*
- OrbitGenerators, *N 16*
- OrbitGeneratorsInv, *N 16*
- OrbitGeneratorsOfGroup, *N 20*
- OrbitishF0, *E 49*
- OrbitLength, *R 395*
- OrbitLengths, *R 395*
- OrbitLengthsDomain, *R 395*
- OrbitPerms, *R 410*
- OrbitPowerMaps, *R 793*
- Orbits, *E 48*
 - operation/attribute, *R 395*
- Orbits, *R 394*
- OrbitsDomain, *R 395*
- OrbitsishOperation, *E 48*
- OrbitsPerms, *R 410*
- OrbitStabChain, *R 419*
- OrbitStabilizer, *R 396*
- OrbitStabilizerAlgorithm, *R 396*
- Orbit Stabilizer Methods for Polycyclic Groups, *R 444*
- Order, *R 291*, *T 78*
 - of a class function, *R 762*
- order, of a group, *R 344*
 - of a list, collection or domain, *R 269*
 - of the prime residue group, *R 136*
- OrderedPartitions, *R 151*
- ordered partitions, *E 55*
- ordering, booleans, *R 167*
 - of records, *R 260*
- OrderingByLessThanFunctionNC, *R 276*
- OrderingByLessThanOrEqualFunctionNC, *R 276*
- OrderingOfRewritingSystem, *R 339*
- OrderingOnGenerators, *R 278*
- OrderingsFamily, *R 276*
- Orderings on families of associative words, *R 277*
- OrderMod, *R 137*
- OrderOfRewritingSystem, *R 339*
- OrdersClassRepresentatives, *R 727*
- OrdersTom, *R 699*
- Ordinal, *R 254*
- ordinary character, *R 765*
- OrdinaryCharacterTable, *R 725*
- OrthogonalComponents, *R 778*

- Orthogonal Embeddings, *R 242*
- OrthogonalEmbeddings, *R 242*
- OrthogonalEmbeddingsSpecialDimension, *R 774*
- OSX, *R 828*
- Other Filters, *R 125*
- Other Operations Applicable to any Object, *R 115*
- Other Operations for Character Tables, *R 734*
- Other Operations for Tables of Marks, *R 702*
- output, suppressing, *R 64*
- OutputLogTo, *R 95*
 - for streams, *R 102*
 - stop logging output, *R 95*
- OutputTextFile, *R 103*
- OutputTextNone, *R 106*
- OutputTextString, *R 104*
- OutputTextUser, *R 104*
- overload, *P 14*
- P**
- P, Property mark-up, *E 16*
- p -group, *R 362*
- package, *R 834*
- Package Completion, *E 39*
- Package Interface - Obsolete Functions and Name Changes, *R 838*
- Packages, *R 823*
- PadicCoefficients, *R 241*
- PadicExtensionNumberFamily, *R 685*
- PadicNumber, *R 685*
 - for pure padics, *R 684*
- Pager, *R 25*
- Parametrized, *R 801*
- Parametrized Maps, *R 799*
- parametrized maps, *R 790*
- Parent, *R 286*
- ParentPcgs, *R 435*
- Parents, *R 286*
- Parents and Subgroups, *T 82*
- Partial Methods, *P 12*
- partial order, *R 311*
- PartialOrderByOrderingFunction, *R 312*
- PartialOrderOfHasseDiagram, *R 311*
- Partitions, *R 151*
- partitions, improper, of an integer, *R 151*
 - ordered, of an integer, *R 151*
 - restricted, of an integer, *R 152*
- PartitionsGreatestEQ, *R 152*
- PartitionsGreatestLE, *R 152*
- PartitionsSet, *R 150*
- PartitionTuples, *R 153*
- PcElementByExponents, *R 433*
- PcElementByExponentsNC, *R 433*
- PCentralLieAlgebra, *R 641*
- PCentralNormalSeriesByPcgsPGroup, *R 440*
- PCentralSeries, *R 366*
- PcGroupCode, *R 456*
- PcGroupCodeRec, *R 456*
- PcGroupFpGroup, *R 449*
- Pc groups versus fp groups, *R 448*
- PcGroupWithPcgs, *R 451*
- Pcgs, *R 431*
- Pcgs_OrbitStabilizer, *R 445*
- Pcgs and Normal Series, *R 438*
- PcgsByPcSequence, *R 431*
- PcgsByPcSequenceNC, *R 431*
- PcgsCentralSeries, *R 439*
- PcgsChiefSeries, *R 440*
- PcgsElementaryAbelianSeries, *R 439*
- PcgsPCentralSeriesPGroup, *R 440*
- PClassPGroup, *R 362*
- PCore, *R 356*
- PcSeries, *R 432*
- PerfectGroup, *R 515*
- perfect groups, *R 515*
- PerfectIdentification, *R 516*
- PerfectResiduum, *R 358*
- Perform, *R 196*
- Permanent, *R 154*
- Permanent of a Matrix, *R 154*
- PermBounds, *R 787*
- PermCharInfo, *R 782*
- PermCharInfoRelative, *R 783*
- PermChars, *R 783*
- PermCharsTom, *R 712*
- PermComb, *R 787*
- PermGroupOps.ElementProperty, *T 78*
- PermLeftQuoTransformation, *R 549*
- PermList, *R 408*
- PermListList, *R 196*
- Permutation, *R 400*
- PermutationCharacter, *R 764*
- permutation character, *R 809*
- permutation characters, possible, *R 781*
- PermutationCycle, *R 400*
- Permutation groups, *T 44*
- PermutationMat, *R 223*

- PermutationsFamily, R 406
- Permutations Induced by Elements and Cycles, *R 400*
- PermutationsList, R 149
- PermutationTom, R 697
- Permuted, R 198
 - as a permutation action, R 393
 - for class functions, R 762
- PGL, R 507
- PGU, R 508
- Phi, R 136
- Plain Lists, *T 27*
- Plain Records, *T 38*
- point stabilizer, R 396
- Polycyclic Generating Systems, *R 430*
- PolynomialByExtRep, R 679
- PolynomialCoefficientsOfPolynomial, R 665
- PolynomialDivisionAlgorithm, R 675
- Polynomial Factorization, *R 667*
- PolynomialModP, R 668
- PolynomialReducedRemainder, R 675
- PolynomialReduction, R 675
- PolynomialRing, R 670
- Polynomial Rings, *R 670*
- Polynomials, *T 84*
- Polynomials as Univariate Polynomials in one Indeterminate, *R 665*
- polynomials over abelian number fields, factors, R 583
- Polynomials over the Rationals, *R 668*
- PopOptions, R 88
- Portability, *R 90*
- Porting GAP, *R 827*
- Position, R 187, *T 78*
- Positional Objects, *P 22*
- PositionBound, R 189
- PositionCanonical, R 187
- PositionNonZero, R 189
- PositionNot, R 189
- PositionNthOccurrence, R 188
- PositionProperty, R 189
- PositionSet, R 188
- PositionSorted, R 188
- PositionStream, R 100
- PositionSublist, R 190
- Position vs. PositionCanonical, *T 49*
- PositionWord, R 330
- PositiveIntegers, R 126
- positive number, R 48
- PositiveRoots, R 637
- PositiveRootVectors, R 637
- PossibleClassFusions, R 797
- PossibleFusionsCharTableTom, R 711
- Possible Permutation Characters, *R 781*
- possible permutation characters, R 781
- PossiblePowerMaps, R 791
- power, R 48
 - matrix, R 220
 - meaning for class functions, R 761
 - of words, R 329
- PowerMap, R 791
- PowerMapByComposition, R 793
- PowerMapOp, R 791
- Power Maps, *R 790*
- PowerMapsAllowedBySymmetrizations, R 808
- PowerMod, R 564
- PowerModCoeffs, R 216
- PowerModInt, R 131
- PowerPartition, R 153
- powerset, R 147
- PowerSubalgebraSeries, R 614
- PQuotient, R 471
- precedence, R 48
- precedence test, for permutations, R 407
- PreferredGenerators, N 17
- PrefrattiniSubgroup, R 358
 - for groups with pcgs, R 445
- PreImage, R 304
- PreImageElm, R 303
- PreImages, R 304
- PreImagesElm, R 303
- Preimages in the Free Group, *R 459*
- Preimages in the Free Semigroup, *R 543*
- PreimagesOfTransformation, R 548
- PreImagesRange, R 303
- PreImagesRepresentative, R 304
- PreImagesSet, R 304
- Preimages under Homomorphisms from an FpGroup, *R 470*
- Preimages under Mappings, *R 303*
- preorder, R 311
- PresentationFpGroup, R 475
- PresentationNormalClosure, R 480
- PresentationNormalClosureRrs, R 480
- PresentationSubgroup, R 477
- PresentationSubgroupMtc, R 479

- PresentationSubgroupRrs, R 478
- PresentationViaCosetTable, R 476
- previous result, R 64
- PrevPrimeInt, R 132
- PrimaryGeneratorWords, R 479
- primary subgroup generators, R 493
- PrimeBlocks, R 731
- PrimeBlocksOp, R 731
- PrimeField, R 572
- Prime Integers and Factorization, *R 131*
- PrimePGroup, R 362
- PrimePowersInt, R 133
- prime residue group, R 136
 - exponent, R 136
 - generator, R 138
 - order, R 136
- Prime Residues, *R 136*
- PrimeResidues, function, R 136
- Primes, R 131
- primitive, R 401
- PRIMITIVE_INDICES_MAGMA, R 521
- PrimitiveElement, R 572
- PrimitiveGroup, R 520
- Primitive Groups, *R 412*
- PrimitiveGroupsIterator, R 520
- PrimitiveIdentification, R 521
- PrimitiveIndexIrreducibleSolvableGroup, R 522
- Primitive Permutation Groups, *R 519*
- PrimitivePolynomial, R 668
- PrimitiveRoot, R 579
- PrimitiveRootMod, R 138
- primitive root modulo an integer, R 138
- Primitive Roots and Discrete Logarithms, *R 137*
- Primitivity of Characters, *R 813*
- Print, R 65, T 78
- PrintAmbiguity, R 804
- PrintArray, R 224
- PrintCharacterTable, R 739
- PrintFactorsInt, R 133
- PrintFormattingStatus, R 102
- PrintHashWithNames, N 10
- Printing Character Tables, *R 737*
- Printing Class Functions, *R 762*
- Printing Presentations, *R 481*
- Printing Tables of Marks, *R 696*
- PrintObj, R 66
 - for character tables, R 762
 - for tables of marks, R 696
- PrintTo, R 95, T 78
 - for streams, R 101
- ProbabilityShapes, R 668
- problems, R 824
- Problems on Particular Systems, *R 827*
- procedure call, R 50
- Procedure Calls, *R 50*
- procedure call with arguments, R 50
- Process, R 108
- Process, *R 108*
- PROD_GF2MAT_GF2MAT_ADVANCED, R 234
- PROD_GF2MAT_GF2MAT_SIMPLE, R 234
- Producing a Manual, *E 26*
- Product, R 200
- product, of words, R 329
 - rational functions, R 661
- ProductCoeffs, R 216
- ProductSpace, R 614
- ProductX, R 203
- ProfileFunctions, R 82
- ProfileGlobalFunctions, R 82
- ProfileMethods, R 82
- ProfileOperations, R 81
- ProfileOperationsAndMethods, R 81
- PROFILETHRESHOLD, R 82
- Profiling, *R 81*
- ProjectedInducedPcgs, R 438
- ProjectedPcElement, R 438
- Projection, N 18, R 301
 - example for direct products, R 498
 - example for semidirect products, R 500
 - example for subdirect products, R 500
 - example for wreath products, R 501
 - for group products, R 502
- ProjectionMap, R 800
- projections, find all, R 388
- ProjectiveActionHomomorphismMatrixGroup, R 425
- ProjectiveActionOnFullSpace, R 425
- ProjectiveGeneralLinearGroup, R 507
- ProjectiveGeneralUnitaryGroup, R 508
- ProjectiveOrder, R 233
- ProjectiveSpecialLinearGroup, R 508
- ProjectiveSpecialUnitaryGroup, R 508
- ProjectiveSymplecticGroup, R 508
- prompt, R 64
 - partial, R 64

- Properties, *R 124*
 - Properties and Attributes for Lists, *R 190*
 - Properties and Attributes of (General) Mappings, *R 301*
 - Properties and Attributes of Binary Relations, *R 310*
 - Properties and Attributes of Matrices, *R 221*
 - Properties and Attributes of Rational Functions, *R 662*
 - Properties and basic functionality, *R 276*
 - Properties and Filters, *T 73*
 - Properties of a Lie Algebra, *R 635*
 - Properties of rewriting systems, *R 340*
 - Properties of Rings, *R 559*
 - Properties of Tables of Marks, *R 702*
 - PRump, *R 359*
 - PseudoRandom, *R 272*
 - PSL, *R 508*
 - PSP, *R 508*
 - PSp, *R 508*
 - PSU, *R 508*
 - PthPowerImage, *R 641*
 - PthPowerImages, *R 640*
 - Pure p-adic Numbers, *R 684*
 - PurePadicNumberFamily, *R 684*
 - PushOptions, *R 88*
- Q**
- Quadratic, *R 162*
 - quadratic residue, *R 139*
 - QuaternionAlgebra, *R 609*
 - QUIET, *R 839*
 - QUIT, emergency quit, *R 72*
 - quit, in emergency, *R 72*
 - quit, *R 67, T 18*
 - QUITTING, *R 72*
 - QuoInt, *R 129*
 - Quotient, *R 555*
 - quotient, for finitely presented groups, *R 458*
 - matrices, *R 220*
 - matrix and matrix list, *R 221*
 - matrix and scalar, *R 220*
 - of free monoid, *R 544*
 - of free semigroup, *R 542*
 - of words, *R 329*
 - rational functions, *R 661*
 - scalar and matrix, *R 220*
 - scalar and matrix list, *R 220*
 - vector and matrix, *R 220*
 - QuotientFromSCTable, *R 608*
 - QuotientGroup, *N 17*
 - QuotientGroupByChainHomomorphicImage, *N 20*
 - QuotientGroupByHomomorphism, *N 14*
 - QuotientGroupByImages, *N 14*
 - QuotientGroupByImagesNC, *N 14*
 - QuotientGroupHom, *N 14*
 - Quotient Methods, *R 470*
 - QuotientMod, *R 564*
 - QuotientPolynomialsExtRep, *R 680*
 - QuotientRemainder, *R 563*
 - Quotients, *R 534*
 - Quotients and Remainders, *R 129*
 - QuotientSemigroupCongruence, *R 534*
 - QuotientSemigroupHomomorphism, *R 534*
 - QuotientSemigroupPreimage, *R 534*
 - QuotRemLaurpols, *R 670*
- R**
- R, Representation mark-up, *E 16*
 - r_N , *R 160*
 - RadicalGroup, *R 358*
 - RadicalOfAlgebra, *R 617*
 - Random, *R 272*
 - for integers, *R 128*
 - for rationals, *R 144*
 - RandomBinaryRelationOnPoints, *R 312*
 - random element, of a list or collection, *R 272*
 - Random Elements, *R 272*
 - RandomHashKey, *N 10*
 - RandomInvertableMat, *T 78*
 - RandomInvertibleMat, *R 224*
 - RandomIsomorphismTest, *R 456*
 - Random Isomorphism Testing, *R 456*
 - Randomized Methods for Permutation Groups, *R 414*
 - RandomList, *R 273*
 - RandomMat, *R 224*
 - Random Matrices, *R 224*
 - RandomPrimitivePolynomial, *R 581*
 - RandomSchreierSims, *N 20*
 - random seed, *R 273*
 - RandomTransformation, *R 547*
 - RandomUnimodularMat, *R 224*
 - Range, *N 14, R 302*
 - range, *R 203*
 - Ranges, *R 203, T 32*
 - RankAction, *R 401*

- RankFilter, R 117
- RankMat, R 225
- RankOfTransformation, R 548
- RankPGroup, R 363
- Rat, R 144
 - for strings, R 253
- RationalClass, R 355
- RationalClasses, R 355
- RationalFunctionByExtRep, R 679
- RationalFunctionByExtRepWithCancellation, R 680
- Rational Function Families, *R 677*
- RationalFunctionsFamily, *R 677*
- RationalizedMat, R 163
- Rationals, R 143
- RClassOfHClass, R 535
- Read, R 94, T 19
 - for streams, R 98
- read.g, for a GAP package, E 37
- ReadAll, R 100
- ReadAllLine, R 105
- ReadAsFunction, R 94
 - for streams, R 99
- ReadByte, R 99
- read eval print loop, R 64
- read evaluate print loop, *T 19*
- reading source code from a file, T 19
- ReadLine, R 99
- README, for a GAP package, E 35
- ReadPackage, R 835
- ReadPkg, R 838
- ReadTest, R 84
 - for streams, R 99
- RealClasses, R 729
- RealizableBrauerCharacters, R 788
- RecFields, T 78
- RecNames, R 257
- Recognizing Characters, *R 249*
- record, component access, R 257
 - component assignment, R 258
 - component variable, R 258
 - component variable assignment, R 259
- Record Access Operations, *R 262*
- Record Assignment, *R 258*
- record assignment, operation, R 262
- record boundness test, operation, R 262
- record component, operation, R 262
- record unbind, operation, R 262
- Recovery from NoMethodFound-Errors, *R 76*
- Recursion, *T 42*
- recursion, R 55
- Redispatching, *P 13*
- RedispatchOnCondition, P 13
- redisplay a help section, R 23
- redisplay with next help viewer, R 23
- ReduceCoeffs, R 216
- ReduceCoeffsMod, R 216
- ReducedAdditiveInverse, R 340
- ReducedCharacters, R 771
- ReducedClassFunctions, R 771
- ReducedComm, R 340
- ReducedConfluentRewritingSystem, R 544
- ReducedConjugate, R 340
- ReducedDifference, R 340
- ReducedForm, R 339
- ReducedGroebnerBasis, R 676
- ReducedInverse, R 340
- ReducedLeftQuotient, R 340
- ReducedOne, R 340
- ReducedPcElement, R 433
- ReducedPower, R 340
- ReducedProduct, R 340
- ReducedQuotient, R 340
- ReducedScalarProduct, R 340
- ReducedSum, R 340
- ReducedZero, R 340
- ReduceRules, R 340
- ReduceStabChain, R 420
- Reducing Virtual Characters, *R 771*
- Ree, R 505
- ReeGroup, R 505
- ReesCongruenceOfSemigroupIdeal, R 533
- ReesMatrixSemigroup, R 536
- ReesMatrixSemigroupElement, R 536
- Rees Matrix Semigroups, *R 536*
- ReesZeroMatrixSemigroup, R 536
- ReesZeroMatrixSemigroupElement, R 536
- ReesZeroMatrixSemigroupElementIsZero, R 537
- reference to a label, E 15
- RefinedPcGroup, R 451
- ReflectionMat, R 224
- ReflexiveClosureBinaryRelation, R 312
- reflexive relation, R 310
- regular, R 401
- regular action, R 398
- RegularActionHomomorphism, R 399

- RegularModule, R 742
- relations, R 299
- Relations Between Domains, *R 292*
- RelationsOfFpSemigroup, R 543
- RelativeBasis, R 593
- RelativeBasisNC, R 593
- relatively prime, R 48
- RelativeOrderOfPcElement, R 432
- RelativeOrders, of a pcgs, R 432
- Relators in a Presentation, *R 480*
- RelatorsOfFpGroup, R 459
- remainder, operation, R 292
- remainder of a quotient, R 129
- RemInt, R 129
- remove, an element from a set, R 194
- RemoveFile, R 95
- RemoveOuterCoeffs, R 214
- RemoveRelator, R 483
- RemoveSet, R 194
- RemoveStabChain, R 420
- Repeat, *R 52*
- repeat loop, R 52
- ReplacedString, R 251
- Representation, *R 120*
- representation, as a sum of two squares, R 142
- Representations for Associative Words, *R 332*
- Representations for Group Homomorphisms, *R 389*
- Representations given by modules, *R 742*
- Representations of Algebras, *R 622*
- RepresentationsOfObject, R 121
- Representative, R 269
- representative, of a list or collection, R 269
- RepresentativeAction, R 396
- RepresentativeLinearOperation, R 622
- RepresentativeOperation, R 838
- RepresentativesContainedRightCosets, R 353
- RepresentativesFusions, R 798
- RepresentativeSmallest, R 269
- RepresentativesMinimalBlocks, R 402
- RepresentativesPerfectSubgroups, R 371
- RepresentativesPowerMaps, R 793
- RepresentativesSimpleSubgroups, R 371
- RepresentativeTom, R 710
- RepresentativeTomByGenerators, R 710
- RepresentativeTomByGeneratorsNC, R 710
- Requesting one GAP Package from within Another, *E 37*
- RequirePackage, R 838
- Reread, R 96
- REREADING, R 96
- RereadPackage, R 835
- RereadPkg, R 838
- ResetFilterObj, P 18
- ResetOptionsStack, R 88
- residue, quadratic, R 139
- Residue Class Rings, *R 133*
- RespectsAddition, R 306
- RespectsAdditiveInverses, R 306
- RespectsInverses, R 306
- RespectsMultiplication, R 305
- RespectsOne, R 306
- RespectsScalarMultiplication, R 307
- RespectsZero, R 307
- RestoreStateRandom, R 272
- Restricted and Induced Class Functions, *R 769*
- RestrictedClassFunction, R 769
- RestrictedClassFunctions, R 770
- Restricted Lie algebras, *R 640*
- RestrictedMapping, R 301
- RestrictedPartitions, R 152
- RestrictedPerm, R 409
- RestrictedTransformation, R 548
- Resultant, R 666
- ResultOfStraightLineProgram, R 335
- Return, *R 58*
- return, R 67
 - no value, R 58
 - with value, R 58
- ReturnFail, R 63
- ReturnFalse, R 62
- return from break loop, R 67
- ReturnTrue, R 62
- Reversed, R 196
- RewindStream, R 100
- RewriteWord, R 465
- Rewriting in Groups and Monoids, *R 341*
- Rewriting Systems and the Knuth-Bendix Procedure, *R 544*
- RightActingAlgebra, R 625
- RightActingRingOfIdeal, R 558
- RightAlgebraModule, R 623
- RightAlgebraModuleByGenerators, R 623
- RightCoset, R 351
- RightCosets, R 351
- right cosets, R 351
- RightCosetsNC, R 351

- RightDerivations, R 632
- RightIdeal, R 556
- RightIdealByGenerators, R 557
- RightIdealNC, R 557
- RightModuleByHomomorphismToMatAlg, R 626
- RightShiftRowVector, R 214
- RightTransversal, R 352
- right transversal, T 48
- Ring, R 554
- RingByGenerators, R 555
- Ring Homomorphisms, R 308
- Rings With One, R 558
- RingWithOne, R 558
- RingWithOneByGenerators, R 558
- RNameObj, R 262
- root, of 1 modulo an integer, R 140
 - of an integer, R 128
 - of an integer, smallest, R 128
 - of an integer modulo another, R 139
- RootInt, R 128
- RootMod, R 139
- RootOfDefiningPolynomial, R 572
- RootsMod, R 139
- Roots Modulo Integers, R 138
- roots of unity, R 155
- RootsOfUPol, R 665
- RootsUnityMod, R 140
- RootSystem, R 637
- RoundCyc, R 157
- Row and Matrix Spaces, R 597
- RowIndexOfReesMatrixSemigroupElement, R 537
- RowIndexOfReesZeroMatrixSemigroupElement, R 537
- row spaces, R 597
- Row Vectors over Finite Fields, R 212
- Rules, R 339
- Running GAP under MacOS, R 30
- Runtime, R 81
- Runtimes, R 80
- S**
- s_N , R 160
- SameBlock, R 732
- SandwichMatrixOfReesMatrixSemigroup, R 537
- SandwichMatrixOfReesZeroMatrixSemigroup, R 537
- save, R 36
- SaveOnExitFile, R 73
- SaveWorkspace, R 36
- Saving and Loading a Workspace, R 36
- Saving a Pc Group, R 452
- saving on exit, R 72
- ScalarProduct, for characters, R 766
- Schreier, R 477
- Schreier-Sims, random, R 414
- SchreierTransversal, N 16
- SchreierTreeDepth, N 17
- SchurCover, R 377
- Schur Covers and Multipliers, R 376
- Schur multiplier, R 377
- scope, R 42
- ScriptFromString, R 707
- Searching for Homomorphisms, R 387
- SecHMSM, R 255
- secondary subgroup generators, R 493
- SecondsDMYhms, R 255
- SeekPositionStream, R 101
- Selecting a Different MeatAxe, R 687
- Selection Functions, R 510
- SemidirectProduct, R 499
- Semidirect Products, R 498
- SemiEchelonBasis, R 599
- SemiEchelonBasisNC, R 599
- SemiEchelonMat, R 227
- SemiEchelonMatDestructive, R 227
- SemiEchelonMats, R 228
- SemiEchelonMatsDestructive, R 228
- SemiEchelonMatTransformation, R 228
- Semigroup, R 531
- semigroup, R 531
- SemigroupByGenerators, R 531
- SemigroupByMultiplicationTable, R 532
- SemigroupIdealByGenerators, R 533
- SemigroupOfRewritingSystem, R 546
- semiregular, R 401
- Semisimple Lie Algebras and Root Systems, R 636
- SemiSimpleType, R 636
- sequence, Bernoulli, R 146
 - Fibonacci, R 153
 - Lucas, R 154
- Series of Ideals, R 634
- Set, R 266
- SetAssertionLevel, R 80
- SetCommutator, R 450
- SetConjugate, R 450
- SetCrystGroupDefaultAction, R 429

- set difference, of collections, R 271
- SetElmWPObj, E 52
- SetEntrySCTable, R 607
- SetFilterObj, P 18
- SetGasmanMessageStatus, R 86
- SetHashEntry, N 12
- SetHashEntryAtLastIndex, N 12
- SetHelpViewer, R 24
- SetIndeterminateName, R 660
- SetInfoLevel, R 79
- SetName, R 115
- Set Operations via Boolean Lists, *R 207*
- SetParent, R 286
- SetPower, R 450
- SetPrintFormattingStatus, R 102
- SetRecursionTrapInterval, R 85
- SetReducedMultiplication, R 459
- Sets, *R 110, T 31*
- sets, R 170
- Sets of Subgroups, *R 367*
- set stabilizer, R 396
- Setter, R 122
- setter, R 121
 - of an attribute, T 72
- Setter and Tester for Attributes, *R 121*
- SetX, R 202
- ShallowCopy, R 114, T 80
 - for lists, R 177
- ShiftedCoeffs, R 216
- ShiftedPadicNumber, R 684
- Shifting and Trimming Coefficient Lists, *R 214*
- ShortestVectors, R 243
- ShortLexOrdering, R 279
- short vectors spanning a lattice, R 241
- ShowArgument, R 76
- ShowArguments, R 76
- ShowDetails, R 76
- ShowImpliedFilters, R 118
- ShowMethods, R 76
- ShowOtherMethods, R 77
- ShrinkCoeffs, R 216
- ShrinkRowVector, R 214
- Sift, for chains of subgroups, N 19
- SiftedPcElement, R 433
- SiftedPermutation, R 419
- SiftedVector, R 600
- SiftOneLevel, for chains of subgroups, N 19
 - for subgroup transversals, N 16
- Sigma, R 140
- sign, of an integer, R 127
- Sign and Cycle Structure, *R 408*
- SignInt, R 127
- SignPartition, R 152
- SignPerm, R 408
- SimpleLieAlgebra, R 632
- SimpleSystem, R 637
- SimplifiedFpGroup, R 477
- SimplifiedFpGroup, *R 477*
- SimplifyPresentation, R 484
- SimsNo, R 521
- SimultaneousEigenvalues, R 233
- SingleCollector, R 450
- singlequote character, R 247
- singlequotes, R 245
- SINT_CHAR, R 253
- Size, R 269
 - for character tables, R 726
 - for groups with pcgs, R 445
- size, of a list or collection, R 269
- SizeBlist, R 207
- SizeConsiderFunction, R 373
- SizeNumbersPerfectGroups, R 516
- SizeOfChainOfGroup, N 19
- SizeOfFieldOfDefinition, R 788
- SizesCentralizers, R 727
- SizesConjugacyClasses, R 727
- SizeScreen, R 75
- SizeScreen, *R 75*
- SizesPerfectGroups, R 515
- SizeStabChain, R 418
- SL, R 506
- smaller, associative words, R 329
 - elements of finitely presented groups, R 459
 - nonassociative words, R 322
 - pcwords, R 448
 - rational functions, R 661
- SmallerDegreePermutationRepresentation, R 411
- smaller or equal, R 47
- smaller test, R 47
- SmallestGeneratorPerm, R 407
- SmallestMovedPoint, R 407
- SmallestRootInt, R 128
- SmallGeneratingSet, R 374
- SmallGroup, R 513
- Small Groups, *R 512*

- SmallGroupsInformation, R 513
- Smash MeatAxe Flags, *R 691*
- smith normal form, R 838
- SmithNormalFormIntegerMat, R 238
- SmithNormalFormIntegerMatTransforms, R 238
- SMTX.AbsoluteIrreducibilityTest, R 691
- SMTX.AlgEl, R 691
- SMTX.AlgElCharPol, R 692
- SMTX.AlgElCharPolFac, R 692
- SMTX.AlgElMat, R 691
- SMTX.AlgElNullspaceDimension, R 692
- SMTX.AlgElNullspaceVec, R 692
- SMTX.CentMat, R 692
- SMTX.CentMatMinPoly, R 692
- SMTX.CompleteBasis, R 691
- SMTX.Getter, R 691
- SMTX.GoodElementGModule, R 691
- SMTX.IrreducibilityTest, R 691
- SMTX.MatrixSum, R 691
- SMTX.MinimalSubGModule, R 691
- SMTX.MinimalSubGModules, R 691
- SMTX.RandomIrreducibleSubGModule, R 691
- SMTX.Setter, R 691
- SMTX.SortHomGModule, R 691
- SMTX.Subbasis, R 691
- SO, R 507
- Socle, R 358
- SocleTypePrimitiveGroup, R 412
- SolutionIntMat, R 236
- SolutionMat, R 226
- SolutionMatDestructive, R 226
- SolutionNullspaceIntMat, R 236
- Some Remarks about Character Theory in GAP,
R 715
- Some Special Algebras, *R 609*
- Something, T 69
- Sort, R 191
- SortedCharacters, R 749
- SortedCharacterTable, R 750
- Sorted Character Tables, *R 749*
- SortedList, R 266
- sorted list, R 190
- Sorted Lists and Sets, *R 192*
- sorted lists as collections, R 264
- SortedSparseActionHomomorphism, R 398
- SortedTom, R 697
- Sortex, R 192
- Sorting Lists, *R 191*
- SortingPerm, R 192
- Sorting Tables of Marks, *R 697*
- SortParallel, R 191
- Source, N 14, R 302
- SourceElt, N 14
- SP, R 507
- Sp, R 507
- space, R 40
- SparseActionHomomorphism, R 398
- SparseCartanMatrix, R 638
- SparseHashTable, N 11
- Sparse hash tables, *N 11*
- SparseIntKey, N 11
- Special Characters, *R 247*
- special character sequences, R 247
- Special Filenames, *R 92*
- Special Generating Sets, *R 374*
- SpecialLinearGroup, R 506
- Special Multiplication Algorithms for Matrices over
 $GF(2)$, *R 234*
- SpecialOrthogonalGroup, R 507
- Special Pcgs, *R 441*
- SpecialPcgs, attribute, R 442
- SpecialUnitaryGroup, R 506
- Specific and Parametrized Subgroups, *R 357*
- Specific Methods for Subgroup Lattice
Computations, *R 371*
- SplitCharacters, R 744
- SplitExtension, R 453
- SplitExtensions, R 455
- SplitString, R 250
- SplittingField, R 664
- Sqrt, R 292
- square root, of an integer, R 128
- SquareRoots, R 319
- SSortedList, R 266
- StabChain, R 415
- StabChainBaseStrongGenerators, R 417
- StabChainImmutable, R 415
- StabChainMutable, R 415
- StabChainOp, R 415
- StabChainOptions, R 417
- Stabiliser chain subgroups, *N 20*
- Stabilizer, R 396
- Stabilizer Chain Records, *R 417*
- Stabilizer Chains, *R 413*
- Stabilizer Chains for Automorphisms Acting on
Enumerators, *E 61*

- StabilizerOfExternalSet, R 404
- StabilizerPcgs, R 445
- Stabilizers, *R 396*
- Standalone Programs in a GAP Package, *E 38*
- StandardAssociate, R 561
- StandardGeneratorsFunctions, R 707
- StandardGeneratorsInfo, for groups, R 706
 - for tables of marks, R 710
- StandardGeneratorsOfGroup, R 708
- Standard Generators of Groups, *R 706*
- Standardization of coset tables, *R 464*
- StandardizeTable, R 464
- StarCyc, R 162
- Starting and Leaving GAP, *T 18*
- starting GAP, T 18
- Statements, *R 49*
- StateRandom, R 272
- Stirling1, R 146
- Stirling2, R 146
- Stirling number of the first kind, R 146
- Stirling number of the second kind, R 147
- StoredGroebnerBasis, R 676
- StoreFusion, R 796
- Storing Normal Subgroup Information, *R 753*
- StraightLineProgElm, R 338
- StraightLineProgGens, R 338
- StraightLineProgram, R 334
- Straight Line Program Elements, *R 337*
- StraightLineProgramNC, R 334
- Straight Line Programs, *R 334*
- StraightLineProgramsTom, R 709
- StratMeetPartition, *E 59*
- StreamsFamily, R 98
- StretchImportantSLPElement, R 338
- strictly sorted list, R 191
- String, R 250
 - for cyclotomics, R 156
- StringDate, R 255
- StringOfResultOfStraightLineProgram, R 336
- StringPP, R 250
- strings, T 28
 - equality of, R 249
 - inequality of, R 249
 - lexicographic ordering of, R 249
- String Streams, *R 104*
- StringTime, R 255
- StrongGeneratorsStabChain, R 418
- StrongGens, N 20
- StronglyConnectedComponents, R 312
- Struct, R 283
- StructByGenerators, R 284
- StructuralCopy, R 114, T 80
 - for lists, R 178
- structure constant, R 736
- StructureConstantsTable, R 595
- StructureDescription, R 349
- Structure Descriptions, *R 349*
- StructWithGenerators, R 284
- SU, R 506
- Subalgebra, R 610
- SubAlgebraModule, R 626
- SubalgebraNC, R 610
- Subalgebras, *R 610*
- SubalgebraWithOne, R 610
- SubalgebraWithOneNC, R 611
- SubdirectProduct, R 500
- Subdirect Products, *R 500*
- SubdirectProducts, R 501
- Subdomains, *T 70*
- subdomains, R 287
- Subfield, R 571
- SubfieldNC, R 571
- Subfields, R 572
- Subfields of Fields, *R 571*
- Subgroup, R 346
- SubgroupByPcgs, R 436
- SubgroupByProperty, R 347
- subgroup fusions, R 794
- subgroup generators tree, R 493
- Subgroup Lattice, *R 369*
- SubgroupNC, R 346
- SubgroupOfWholeGroupByCosetTable, R 465
- SubgroupOfWholeGroupByQuotientSubgroup, R 470
- Subgroup Presentations, *R 477*
- SubgroupProperty, R 421
- Subgroups, Subgroups, as Stabilizers, *T 50*
- Subgroups, *R 345*
- subgroups, polyhedral, R 736
- Subgroups characterized by prime powers, *R 360*
- Subgroup Series, *R 363*
- SubgroupShell, R 347
- Subgroups of Polycyclic Groups - Canonical Pcgs, *R 436*
- Subgroups of Polycyclic Groups - Induced Pcgs, *R 434*

- SubgroupsSolvableGroup, R 372
- sublist, R 172
 - access, R 172
 - assignment, R 174
 - operation, R 173
- sublist assignment, operation, R 175
- Submagma, R 316
- SubmagmaNC, R 316
- SubmagmaWithInverses, R 316
- SubmagmaWithInversesNC, R 316
- SubmagmaWithOne, R 316
- SubmagmaWithOneNC, R 316
- Submodule, R 567
- SubmoduleNC, R 567
- Submodules, *R 567*
- Submonoid, R 538
- SubmonoidNC, R 538
- SubnearAdditiveGroup, R 552
- SubnearAdditiveGroupNC, R 552
- SubnearAdditiveMagma, R 551
- SubnearAdditiveMagmaNC, R 551
- SubnearAdditiveMagmaWithZero, R 551
- SubnearAdditiveMagmaWithZeroNC, R 551
- SubnormalSeries, R 364
- Subring, R 555
- SubringNC, R 555
- SubringWithOne, R 559
- SubringWithOneNC, R 559
- Subroutines for the Construction of Class Fusions, *R 809*
- Subroutines for the Construction of Power Maps, *R 807*
- subsection mark-up, E 16
- Subsemigroup, R 531
- SubsemigroupNC, R 531
- subsets, R 147
- subset test, for collections, R 270
- Subsomething, T 70
- SubsomethingNC, T 70
- Subspace, R 589
- SubspaceNC, R 589
- Subspaces, R 590
- SubstitutedWord, R 331
- SubsTom, R 698
- Substruct, R 287
- SubstructNC, R 287
- SubSyllables, R 332
- subtract, a set from another, R 194
- SubtractBlist, R 208
- subtraction, R 48
 - matrices, R 219
 - matrix and scalar, R 219
 - rational functions, R 661
 - scalar and matrix, R 219
 - scalar and matrix list, R 220
 - scalar and vector, R 211
 - vector and scalar, R 211
 - vectors, R 211
- SubtractSet, R 194
- Subword, R 330
- Successors, R 311
- Suitability for Compilation, *R 35*
- Sum, R 201
- Sum and Intersection of Pcgs, *R 441*
- SumFactorizationFunctionPcgs, R 441
- SumIntersectionMat, R 229
- SumX, R 202
- SupersolvableResiduum, R 359
- support, email address, R 826, T 16
- SupportedCharacterTableInfo, R 719
- Suppressing Indexing and Labelling of a Section and Resolving Label Clashes, *E 15*
- SurjectiveActionHomomorphismAttr, R 405
- SuzukiGroup, R 505
- SylowComplement, R 359
- SylowSubgroup, R 359
- Sylow Subgroups and Hall Subgroups, *R 359*
- SylowSystem, R 360
- Symbols, *R 40*
- Symmetric and Alternating Groups, *R 411*
- SymmetricClosureBinaryRelation, R 312
- SymmetricGroup, R 505
- symmetric group, powermap, R 153
- SymmetricParentGroup, R 412
- SymmetricParts, R 778
- SymmetricPowerOfAlgebraModule, R 651
- symmetric relation, R 310
- Symmetrizations, R 777
- symmetrizations, orthogonal, R 778
 - symplectic, R 779
- Symmetrizations of Class Functions, *R 777*
- SymplecticComponents, R 779
- SymplecticGroup, R 507
- syntax errors, R 64
- system getter, R 121
- system setter, R 121

Sz, R 505

T

t_N , R 160

TableAutomorphisms, R 752

table automorphisms, R 798

TableHasIntKeyFun, N 11

table of chapters for help books, R 23

TableOfMarks, R 694

TableOfMarksByLattice, R 695

TableOfMarksComponents, R 698

TableOfMarksCyclic, R 712

TableOfMarksDihedral, R 713

TableOfMarksFamily, R 698

TableOfMarksFrobenius, R 713

Table of Marks Objects in GAP, R 693

table of sections for help books, R 23

tables, E 23, R 717

Tables, Displayed Mathematics and Mathematics Alignments, E 23

tabulator, R 40

Tau, R 140

Technical Details about Tables of Marks, R 698

Technical Details about the Implementation of Magma Rings, R 657

Technical Matters Concerning General Mappings, R 308

TemporaryGlobalVarName, R 45

Tensored, R 769

TensorProductGModule, R 687

TensorProductOfAlgebraModules, R 650

Tensor Products and Exterior and Symmetric Powers, R 650

test, for a primitive root, R 138

for a rational, R 143

for records, R 257

for set equality, R 193

TestConsistencyMaps, R 803

Tester, R 122

tester, R 121

of an attribute, T 72

Test Files, R 84

Test for the Existence of GAP Package Binaries, E 38

TestHomogeneous, R 813

TestInducedFromNormalSubgroup, R 815

Testing Finiteness of Finitely Presented Groups, R 473

Testing for the System Architecture, R 34

Testing Monomiality, R 815

Testing the Examples, E 23

TestJacobi, R 607

TestMonomial, R 815

TestMonomialQuick, R 816

TestMonomialUseLattice, R 816

Test of the installation, R 822

TestPackageAvailability, R 835

TestPerm1, R 785

TestPerm2, R 785

TestPerm3, R 785

TestPerm4, R 785

TestPerm5, R 785

TestQuasiPrimitive, R 814

TestRelativelySM, R 817

Tests for Actions, R 400

Tests for the Availability of Methods, R 377

TestSubnormallyMonomial, R 817

TeX Macros, E 16

TeX Macros for Domains, E 20

The .gaprc file, R 33

The Adjoint Representation, R 641

The Compiler, R 34

The Defining Attributes of Rational Functions, R 678

The Dixon-Schneider Algorithm, R 742

The Documentation, R 823

The External Representation for Associative Words, R 333

The family pcgs, R 447

The Files of a GAP Package, E 35

The GAP System, T 10

The GASMAN Interface for Weak Pointer Objects, E 53

The General Backtrack Algorithm with Ordered Partitions, E 55

The Help Book Handler, E 43

The Info Mechanism, T 85

The Interface between Character Tables and Groups, R 721

The Interface between Tables of Marks and Character Tables, R 711

The Library of Tables of Marks, R 713

The Main File, E 11

The manual.six File, E 42

then, R 51

The Natural Action, R 410

- The PackageInfo.g File, *E 37*
- The Pager Command, *R 25*
- The Permutation Image of an Action, *R 397*
- The Representations of Rational Functions, *R 677*
- The Smash MeatAxe, *R 690*
- The Syntax in BNF, *R 58*
- The WWW Homepage of a Package, *E 36*
- ThreeGroup library, *R 512*
- Tietze Options, *R 496*
- Tietze Transformations, *R 483*
- Tietze Transformations that introduce new Generators, *R 487*
- TietzeWordAbstractWord, *R 481*
- time, *R 81*
- Timing, *R 80*
- Todd-Coxeter Procedure, *R 546*
- Trace, *R 221*
 - for field elements, *R 573*
 - of a matrix, *R 221*
- TracedCosetFpGroup, *R 461*
- TraceImmediateMethods, *R 78*
- TraceMat, *R 221*
- TraceMethods, *R 78*, *T 75*
- TracePolynomial, *R 573*
- Tracing generator images through Tietze transformations, *R 491*
- Tracing Methods, *R 78*
- TransferDiagram, *R 803*
- Transformation, *R 547*
- TransformationData, *R 547*
- TransformationFamily, *R 547*
- TransformationNC, *R 547*
- TransformationRelation, *R 549*
- TransformationType, *R 547*
- TransformingPermutations, *R 752*
- TransformingPermutationsCharacterTables, *R 752*
- transitive, *R 400*
- TransitiveClosureBinaryRelation, *R 312*
- TransitiveGroup, *R 511*
- TransitiveIdentification, *R 511*
- Transitive Permutation Groups, *R 511*
- transitive relation, *R 310*
- Transitivity, for characters, *R 768*
 - for class functions, *R 768*
 - for group actions, *R 401*
- TranslatorSubalgebra, *R 628*
- transporter, *R 396*
- TransposedMat, *R 223*
- TransposedMatAttr, *R 223*
- TransposedMatDestructive, *R 223*
- TransposedMatImmutable, *R 223*
- TransposedMatMutable, *R 223*
- TransposedMatOp, *R 223*
- TransposedMatrixGroup, *R 424*
- Transversal, *N 19*
- TransversalBySiftFunction, *N 18*
- TransversalByTrivial, *N 18*
- TransversalElt, *N 16*
- TransversalOfChainSubgroup, *N 20*
- Transversals, *R 352*
- Transversals by direct products, *N 18*
- Transversals by homomorphic images, *N 17*
- Transversals by Schreier tree, *N 16*
- Transversals by sift functions, *N 18*
- Transversals by Trivial subgroups, *N 18*
- Triangular Matrices, *R 229*
- TriangulizedIntegerMat, *R 237*
- TriangulizedIntegerMatTransform, *R 237*
- TriangulizedNullspaceMat, *R 225*
- TriangulizedNullspaceMatDestructive, *R 225*
- TriangulizeIntegerMat, *R 237*
- TriangulizeMat, *R 225*
- Trivial chain subgroups and sift function chain subgroups, *N 21*
- TrivialCharacter, *R 764*
- TrivialGroup, *R 503*
- TrivialIterator, *R 275*
- TrivialSubalgebra, *R 611*
- TrivialSubgroup, *R 357*
- TrivialSubmagmaWithOne, *R 319*
- TrivialSubmodule, *R 567*
- TrivialSubmonoid, *R 538*
- TrivialSubnearAdditiveMagmaWithZero, *R 552*
- TrivialSubspace, *R 590*
- TryCosetTableInWholeGroup, *R 465*
- TryGcdCancelExtRepPolynomials, *R 680*
- TryNextMethod, *P 12*, *T 74*
- Tuples, *R 149*
- tuple stabilizer, *R 396*
- TwoClosure, *R 421*
- TwoCoboundaries, *R 453*
- TwoCocycles, *R 453*
- TwoCohomology, *R 453*
- TwoGroup library, *R 512*
- TwoSidedIdeal, *R 556*

- TwoSidedIdealByGenerators, R 557
- TwoSidedIdealNC, R 557
- TwoSquares, R 142
- type, boolean, R 167
 - cyclotomic, R 155
 - records, R 257
 - strings, R 245
- TypeObj, R 125
- TypeOfDefaultGeneralMapping, R 309
- Types, *R 125*
- TzEliminate, R 486
- TzFindCyclicJoins, R 487
- TzGo, R 483
- TzGoGo, R 485
- TzImagesOldGens, R 491
- TzInitGeneratorImages, R 491
- TzNewGenerator, R 483
- TzOptions, R 496
- TzPreImagesNewGens, R 492
- TzPrint, R 482
- TzPrintGeneratorImages, R 492
- TzPrintGenerators, R 481
- TzPrintLengths, R 482
- TzPrintOptions, R 497
- TzPrintPairs, R 482
- TzPrintPresentation, R 482
- TzPrintRelators, R 481
- TzPrintStatus, R 482
- TzSearch, R 486
- TzSearchEqual, R 487
- TzSort, R 475
- TzSubstitute, R 488
- TzSubstituteCyclicJoins, R 491
- U**
- u_N , R 160
- UglyVector, R 602
- Umlauts, *E 26*
- Unbind, R 43
 - for lists, R 176
- UnbindElmWPObj, *E 52*
- UnbindGlobal, R 45
- UnderlyingCharacteristic, R 728
- UnderlyingCharacterTable, R 758
- UnderlyingElement, fp group elements, R 460
 - fp semigroup elements, R 543
- UnderlyingElementOfReesMatrixSemigroup-
Element, R 537
- UnderlyingElementOfReesZeroMatrixSemigroup-
Element, R 537
- UnderlyingExternalSet, R 405
- UnderlyingFamily, R 631
- UnderlyingGeneralMapping, R 302
- UnderlyingGroup, for character tables, R 721
 - for tables of marks, R 700
- UnderlyingLeftModule, R 593
- UnderlyingLieAlgebra, R 637
- UnderlyingMagma, R 654
- UnderlyingRelation, R 302
- Undocumented Variables, *E 33*
- UnInstallCharReadHookFunc, R 106
- Union, R 271
 - union, of collections, R 271
 - of sets, R 194
- Union2, R 271
- UnionBlist, R 207
- Unique, R 195
- UniteBlist, R 208
- UniteBlistList, R 208
- UniteSet, R 194
- Units, R 560
- Units and Factorizations, *R 560*
- UnivariatenessTestRationalFunction, R 665
- UnivariatePolynomial, R 664
- UnivariatePolynomialByCoefficients, R 664
- UnivariatePolynomialRing, R 672
- Univariate Polynomial Rings, *R 672*
- Univariate Polynomials, *R 664*
- UnivariateRationalFunctionByCoefficients,
R 670
- Univariate Rational Functions, *R 670*
- UniversalEnvelopingAlgebra, R 643
- Universal Enveloping Algebras, *R 643*
- UNIX, features, R 27
 - options, R 27
- UNIXSelect, R 98
- Unknown, R 165
- UnloadSmallGroupsData, R 513
- UnorderedTuples, R 148
- Unpacking, *R 820*
- UnprofileFunctions, R 82
- UnprofileMethods, R 82
- until, R 52
- UntraceMethods, R 78
- UpdateMap, R 801
- UpEnv, R 70

- UpperCentralSeriesOfGroup, R 365
 - UpperSubdiagonal, R 230
 - Usage of the Percent Symbol, *E 24*
 - UseBasis, R 568
 - UseFactorRelation, R 293
 - Useful Categories for all Elements of a Family, *R 296*
 - Useful Categories of Elements, *R 294*
 - UseIsomorphismRelation, R 293
 - User Streams, *R 103*
 - UseSubsetRelation, R 293
 - Using buildman.pe, *E 27*
 - utilities for editing GAP files, R 74
- V**
- V, (global) Variable mark-up, E 16
 - v_N , R 160
 - Valuation, R 684
 - Value, R 666
 - ValueCochain, R 646
 - ValueGlobal, R 44
 - ValueMolienSeries, R 781
 - ValueOption, R 88
 - ValuePol, R 215
 - ValuesOfClassFunction, R 758
 - Variable Access in a Break Loop, *R 70*
 - Variables, *R 42*
 - variables, T 22
 - vectors, row, T 36
 - Vectors and Matrices, *T 36*
 - Vectors as coefficients of polynomials, *R 215*
 - VectorSpace, R 589
 - VectorSpaceByPcgsOfElementaryAbelianGroup, R 443
 - Vector Space Homomorphisms, *R 600*
 - Vector Spaces, *T 59*
 - Vector Spaces Handled By Nice Bases, *R 602*
 - verbatim environments, E 22
 - Version Numbers, *E 40*
 - vi, R 74
 - View, R 65
 - View and Print, *R 65*
 - ViewObj, R 66
 - for character tables, R 737
 - for class functions, R 762
 - for tables of marks, R 696
 - vim, R 74
 - VirtualCharacter, R 763
 - virtual character, R 765
 - virtual characters, R 756
- W**
- w_N , R 160
 - WeakPointerObj, E 51
 - WeakPointerObj, *E 51*
 - Weak Pointer Objects, *E 51*
 - web sites, for GAP, T 16
 - WedgeGModule , R 687
 - WeekDay, R 255
 - WeightLexOrdering, R 279
 - WeightOfGenerators, R 280
 - WeightsTom, R 702
 - WeightVecFFE, R 214
 - WeylGroup, R 638
 - WeylOrbitIterator, R 640
 - Where, R 70, T 85
 - While, *R 51*
 - while loop, R 51
 - whitespace, T 19
 - Whitespaces, *R 40*
 - Why Class Functions?, *R 756*
 - Why Proceed in a Different Way?, *P 45*
 - WordAlp, R 250
 - words, in generators, R 348
 - Working with large degree permutation groups, *R 421*
 - Wrapping Up a GAP Package, *E 40*
 - WreathProduct, R 501
 - wreath product embedding, R 502
 - WreathProductImprimitiveAction, R 501
 - WreathProductOrdering, R 281
 - WreathProductProductAction, R 502
 - Wreath Products, *R 501*
 - WriteAll, R 101
 - WriteByte, R 101
 - WriteLine, R 101
 - Writing Documentation, *E 35*
 - Writing Functions, *T 40*
- X**
- X, T 78
 - x_N , R 160
- Y**
- y_N , R 160
- Z**
- Z, R 576
 - ZClassRepsQClass, R 428

Zero, R 289
ZeroAttr, R 289
ZeroCoefficient, R 655
ZeroCoefficientRatFun, R 679
ZeroImmutable, R 289
ZeroMapping, R 300
ZeroMutable, R 289
ZeroOp, R 289
ZeroSameMutability, R 289
ZeroSM, R 289
ZippedProduct, R 680
ZippedSum, R 680
ZmodnZ, R 134
ZmodnZObj, R 134
ZmodpZ, R 134
ZmodpZNC, R 134
zoo, E 40
ZumbroichBase, R 585
Zuppos, R 371